

See back cover for an English
translation of this cover

3

L3-CALCMF



NEW ZEALAND QUALIFICATIONS AUTHORITY
MANA TOHU MĀTAURANGA O AOTEAROA

QUALIFY FOR THE FUTURE WORLD
KIA NOHO TAKATŪ KI TŌ ĀMUA AO!

Tuanaki, Kaupae 3, 2022

**TE PUKAPUKA TIKANGA TĀTAI ME NGĀ TŪTOHI
mō te 91577M, te 91578M me te 91579M**

Tirohia tēnei pukapuka hei whakaoti i ngā tūmahi o ngā Pukapuka Tūmahi me ngā Whakautu.

Tirohia kia kitea ai e tika ana te raupapatanga o ngā whārangi 2–7 kei roto i tēnei pukapuka, ka mutu, kāore tētahi o aua whārangi i te takoto kau.

E ĀHEI ANA TŌ PUPURI KI TĒNEI PUKAPUKA HEI TE MUTUNGA O TE WHAKAMĀTAUTAU.

TE PĀNGARAU – HE TIKANGA TĀTAI WHAI HUA

TE TAURANGI

Te Whārite Pūrua

Mehemea ko te $ax^2 + bx + c = 0$

$$\text{ko te } x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Ngā Pūkōaro

$$y = \log_b x \Leftrightarrow x = b^y$$

$$\log_b(xy) = \log_b x + \log_b y$$

$$\log_b\left(\frac{x}{y}\right) = \log_b x - \log_b y$$

$$\log_b(x^n) = n \log_b x$$

$$\log_b x = \frac{\log_a x}{\log_a b}$$

Ngā tau tuatini

$$\begin{aligned} z &= x + iy \\ &= r \operatorname{cis} \theta \\ &= r(\cos \theta + i \sin \theta) \end{aligned}$$

$$\begin{aligned} \bar{z} &= x - iy \\ &= r \operatorname{cis}(-\theta) \\ &= r(\cos \theta - i \sin \theta) \end{aligned}$$

$$\begin{aligned} r &= |z| = \sqrt{z\bar{z}} = \sqrt{x^2 + y^2} \\ \theta &= \arg z \end{aligned}$$

$$\text{mehemea ko te } \cos \theta = \frac{x}{r}$$

$$\text{me te } \sin \theta = \frac{y}{r}$$

Te Ture a De Moivre

Mehemea he tau tōpū te n , ko te

$$(r \operatorname{cis} \theta)^n = r^n \operatorname{cis}(n\theta)$$

KO TE ĀHUAHANGA TAUNGA

Te Rārangi Tōtika

Te Whārite $y - y_1 = m(x - x_1)$

TE TUANAKI

Te Pārōnaki

$y = f(x)$	$\frac{dy}{dx} = f'(x)$
$\ln x$	$\frac{1}{x}$
e^{ax}	ae^{ax}
$\sin x$	$\cos x$
$\cos x$	$-\sin x$
$\tan x$	$\sec^2 x$
$\sec x$	$\sec x \tan x$
$\operatorname{cosec} x$	$-\operatorname{cosec} x \cot x$
$\cot x$	$-\operatorname{cosec}^2 x$

Te Pāwhaitua

$f(x)$	$\int f(x) dx$
x^n	$\frac{x^{n+1}}{n+1} + c$ ($n \neq -1$)
$\frac{1}{x}$	$\ln x + c$
$\frac{f'(x)}{f(x)}$	$\ln f(x) + c$

Te Pānga Tawhā

$$\frac{dy}{dx} = \frac{dy}{dt} \cdot \frac{dt}{dx}$$

$$\frac{d^2y}{dx^2} = \frac{d}{dt} \left(\frac{dy}{dx} \right) \cdot \frac{dt}{dx}$$

MATHEMATICS – USEFUL FORMULAE

ALGEBRA

Quadratics

If $ax^2 + bx + c = 0$

then $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$

Logarithms

$y = \log_b x \Leftrightarrow x = b^y$

$\log_b(xy) = \log_b x + \log_b y$

$\log_b\left(\frac{x}{y}\right) = \log_b x - \log_b y$

$\log_b(x^n) = n \log_b x$

$\log_b x = \frac{\log_a x}{\log_a b}$

Complex numbers

$z = x + iy$

$= r \operatorname{cis} \theta$

$= r(\cos \theta + i \sin \theta)$

$\bar{z} = x - iy$

$= r \operatorname{cis}(-\theta)$

$= r(\cos \theta - i \sin \theta)$

$r = |z| = \sqrt{z\bar{z}} = \sqrt{x^2 + y^2}$

$\theta = \arg z$

where $\cos \theta = \frac{x}{r}$

and $\sin \theta = \frac{y}{r}$

De Moivre's Theorem

If n is any integer, then

$(r \operatorname{cis} \theta)^n = r^n \operatorname{cis}(n\theta)$

COORDINATE GEOMETRY

Straight Line

Equation $y - y_1 = m(x - x_1)$

CALCULUS

Differentiation

$y = f(x)$	$\frac{dy}{dx} = f'(x)$
$\ln x$	$\frac{1}{x}$
e^{ax}	ae^{ax}
$\sin x$	$\cos x$
$\cos x$	$-\sin x$
$\tan x$	$\sec^2 x$
$\sec x$	$\sec x \tan x$
$\operatorname{cosec} x$	$-\operatorname{cosec} x \cot x$
$\cot x$	$-\operatorname{cosec}^2 x$

Integration

$f(x)$	$\int f(x) dx$
x^n	$\frac{x^{n+1}}{n+1} + c$ ($n \neq -1$)
$\frac{1}{x}$	$\ln x + c$
$\frac{f'(x)}{f(x)}$	$\ln f(x) + c$

Parametric Function

$\frac{dy}{dx} = \frac{dy}{dt} \cdot \frac{dt}{dx}$

$\frac{d^2y}{dx^2} = \frac{d}{dt} \left(\frac{dy}{dx} \right) \cdot \frac{dt}{dx}$

Te Ture Otinga

$(f \cdot g)' = f \cdot g' + g \cdot f'$ mehemea rānei ko te $y = uv$, ko te $\frac{dy}{dx} = u \frac{dv}{dx} + v \frac{du}{dx}$

Te Ture Huawehe

$\left(\frac{f}{g}\right)' = \frac{g \cdot f' - f \cdot g'}{g^2}$ mehemea rānei ko te $y = \frac{u}{v}$, ko te $\frac{dy}{dx} = \frac{v \frac{du}{dx} - u \frac{dv}{dx}}{v^2}$

Ngā Pānga Hiato, ngā Ture Mekameka rānei

$\left(f(g)\right)' = f'(g) \cdot g'$

mehemea rānei ko te, $y = f(u)$ ko te $u = g(x)$, nō reira, ko te $\frac{dy}{dx} = \frac{dy}{du} \cdot \frac{du}{dx}$

NGĀ TIKANGA TAU**Te Ture Trapezium**

$$\int_a^b f(x) \, dx \approx \frac{1}{2} h [y_0 + y_n + 2(y_1 + y_2 + \dots + y_{n-1})]$$

mehemea ko te $h = \frac{b-a}{n}$, ā, ko te $y_r = f(x_r)$

Te Ture a Simpson

$$\int_a^b f(x) \, dx \approx \frac{1}{3} h [y_0 + y_n + 4(y_1 + y_3 + \dots + y_{n-1}) + 2(y_2 + y_4 + \dots + y_{n-2})]$$

mehemea ko te $h = \frac{b-a}{n}$, $y_r = f(x_r)$, ā, he taurua te n .

Product Rule

$$(f \cdot g)' = f \cdot g' + g \cdot f' \quad \text{or if } y = uv \text{ then } \frac{dy}{dx} = u \frac{dv}{dx} + v \frac{du}{dx}$$

Quotient Rule

$$\left(\frac{f}{g}\right)' = \frac{g \cdot f' - f \cdot g'}{g^2} \quad \text{or if } y = \frac{u}{v} \text{ then } \frac{dy}{dx} = \frac{v \frac{du}{dx} - u \frac{dv}{dx}}{v^2}$$

Composite Function or Chain Rule

$$(f(g))' = f'(g) \cdot g'$$

$$\text{or if } y = f(u) \text{ and } u = g(x) \text{ then } \frac{dy}{dx} = \frac{dy}{du} \cdot \frac{du}{dx}$$

NUMERICAL METHODS**Trapezium Rule**

$$\int_a^b f(x) \, dx \approx \frac{1}{2} h [y_0 + y_n + 2(y_1 + y_2 + \dots + y_{n-1})]$$

$$\text{where } h = \frac{b-a}{n} \text{ and } y_r = f(x_r)$$

Simpson's Rule

$$\int_a^b f(x) \, dx \approx \frac{1}{3} h [y_0 + y_n + 4(y_1 + y_3 + \dots + y_{n-1}) + 2(y_2 + y_4 + \dots + y_{n-2})]$$

$$\text{where } h = \frac{b-a}{n}, y_r = f(x_r) \text{ and } n \text{ is even.}$$


TE PĀKOKI

$$\operatorname{cosec} \theta = \frac{1}{\sin \theta}$$

$$\sec \theta = \frac{1}{\cos \theta}$$

$$\cot \theta = \frac{1}{\tan \theta}$$

$$\cot \theta = \frac{\cos \theta}{\sin \theta}$$

**Te Ture Aho**

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

Te Ture Whenua

$$c^2 = a^2 + b^2 - 2ab \cos C$$

Ngā Tuakiri

$$\cos^2 \theta + \sin^2 \theta = 1$$

$$\tan^2 \theta + 1 = \sec^2 \theta$$

$$\cot^2 \theta + 1 = \operatorname{cosec}^2 \theta$$

Ngā Otinga Whānui

Mehemea ko te $\sin \theta = \sin \alpha$, ko te $\theta = n\pi + (-1)^n \alpha$

Mehemea ko te $\cos \theta = \cos \alpha$, ko te $\theta = 2n\pi \pm \alpha$

Mehemea ko te $\tan \theta = \tan \alpha$, ko te $\theta = n\pi + \alpha$

mehemea he tau tōpū te n

Ngā Koki Pūhui

$$\sin(A \pm B) = \sin A \cos B \pm \cos A \sin B$$

$$\cos(A \pm B) = \cos A \cos B \mp \sin A \sin B$$

$$\tan(A \pm B) = \frac{\tan A \pm \tan B}{1 \mp \tan A \tan B}$$

Ngā Koki Rearua

$$\sin 2A = 2 \sin A \cos A$$

$$\tan 2A = \frac{2 \tan A}{1 - \tan^2 A}$$

$$\cos 2A = \cos^2 A - \sin^2 A$$

$$= 2 \cos^2 A - 1$$

$$= 1 - 2 \sin^2 A$$

Ngā Otinga

$$2 \sin A \cos B = \sin(A+B) + \sin(A-B)$$

$$2 \cos A \sin B = \sin(A+B) - \sin(A-B)$$

$$2 \cos A \cos B = \cos(A+B) + \cos(A-B)$$

$$2 \sin A \sin B = \cos(A-B) - \cos(A+B)$$

Ngā Tapeke

$$\sin C + \sin D = 2 \sin \frac{C+D}{2} \cos \frac{C-D}{2}$$

$$\sin C - \sin D = 2 \cos \frac{C+D}{2} \sin \frac{C-D}{2}$$

$$\cos C + \cos D = 2 \cos \frac{C+D}{2} \cos \frac{C-D}{2}$$

$$\cos C - \cos D = -2 \sin \frac{C+D}{2} \sin \frac{C-D}{2}$$

TE INENGA**Te Tapatoru**

$$\text{Te horahanga} = \frac{1}{2} ab \sin C$$

Te Taparara

$$\text{Te horahanga} = \frac{1}{2} (a+b)h$$

Te Pewanga

$$\text{Te horahanga} = \frac{1}{2} r^2 \theta$$

$$\text{Te roa o te pewa} = r\theta$$

Te Rango

$$\text{Te horahanga} = \pi r^2 h$$

$$\text{Te horahanga mata o te kōpiko} = 2\pi rh$$

Te Koeko

$$\text{Te rōrahi} = \frac{1}{3} \pi r^2 h$$

$$\text{Te horahanga mata o te kōpiko} = \pi rl \text{ mēnā ko } l = \text{te teitei ā-taiuru}$$

Te Poi

$$\text{Te rōrahi} = \frac{4}{3} \pi r^3$$

$$\text{Te horahanga mata} = 4\pi r^2$$


TRIGONOMETRY

$$\operatorname{cosec} \theta = \frac{1}{\sin \theta}$$

$$\sec \theta = \frac{1}{\cos \theta}$$

$$\cot \theta = \frac{1}{\tan \theta}$$

$$\cot \theta = \frac{\cos \theta}{\sin \theta}$$



Sine Rule

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

Cosine Rule

$$c^2 = a^2 + b^2 - 2ab \cos C$$

Identities

$$\cos^2 \theta + \sin^2 \theta = 1$$

$$\tan^2 \theta + 1 = \sec^2 \theta$$

$$\cot^2 \theta + 1 = \operatorname{cosec}^2 \theta$$

General Solutions

$$\text{If } \sin \theta = \sin \alpha \text{ then } \theta = n\pi + (-1)^n \alpha$$

$$\text{If } \cos \theta = \cos \alpha \text{ then } \theta = 2n\pi \pm \alpha$$

$$\text{If } \tan \theta = \tan \alpha \text{ then } \theta = n\pi + \alpha$$

where n is any integer

Compound Angles

$$\sin(A \pm B) = \sin A \cos B \pm \cos A \sin B$$

$$\cos(A \pm B) = \cos A \cos B \mp \sin A \sin B$$

$$\tan(A \pm B) = \frac{\tan A \pm \tan B}{1 \mp \tan A \tan B}$$

Double Angles

$$\sin 2A = 2 \sin A \cos A$$

$$\tan 2A = \frac{2 \tan A}{1 - \tan^2 A}$$

$$\begin{aligned} \cos 2A &= \cos^2 A - \sin^2 A \\ &= 2 \cos^2 A - 1 \\ &= 1 - 2 \sin^2 A \end{aligned}$$

Products

$$2 \sin A \cos B = \sin(A+B) + \sin(A-B)$$

$$2 \cos A \sin B = \sin(A+B) - \sin(A-B)$$

$$2 \cos A \cos B = \cos(A+B) + \cos(A-B)$$

$$2 \sin A \sin B = \cos(A-B) - \cos(A+B)$$

Sums

$$\sin C + \sin D = 2 \sin \frac{C+D}{2} \cos \frac{C-D}{2}$$

$$\sin C - \sin D = 2 \cos \frac{C+D}{2} \sin \frac{C-D}{2}$$

$$\cos C + \cos D = 2 \cos \frac{C+D}{2} \cos \frac{C-D}{2}$$

$$\cos C - \cos D = -2 \sin \frac{C+D}{2} \sin \frac{C-D}{2}$$

MEASUREMENT

Triangle

$$\text{Area} = \frac{1}{2} ab \sin C$$

Trapezium

$$\text{Area} = \frac{1}{2} (a+b)h$$

Sector

$$\text{Area} = \frac{1}{2} r^2 \theta$$

$$\text{Arc length} = r\theta$$

Cylinder

$$\text{Volume} = \pi r^2 h$$

$$\text{Curved surface area} = 2\pi r h$$

Cone

$$\text{Volume} = \frac{1}{3} \pi r^2 h$$

$$\text{Curved surface area} = \pi r l \text{ where } l = \text{slant height}$$

Sphere

$$\text{Volume} = \frac{4}{3} \pi r^3$$

$$\text{Surface area} = 4\pi r^2$$

English translation of the wording on the front cover

L3-CALCMF

Level 3 Calculus 2022

FORMULAE AND TABLES BOOKLET for 91577M, 91578M and 91579M

Refer to this booklet to answer the questions in your Question and Answer Booklets.

Check that this booklet has pages 2–7 in the correct order and that none of these pages is blank.

YOU MAY KEEP THIS BOOKLET AT THE END OF THE EXAMINATION.