

|              |   |                |          |
|--------------|---|----------------|----------|
| <b>Title</b> | <b>Maintain aircraft high-frequency (HF) communications systems</b> |                |          |
| <b>Level</b> | <b>4</b>  | <b>Credits</b> | <b>5</b> |

|                |  |
|----------------|--|
| <b>Purpose</b> | People credited with this unit standard are able to: prepare to maintain aircraft high-frequency communications systems; locate defects in aircraft high-frequency communications systems; restore airworthiness of aircraft high-frequency communications systems; and complete the maintenance task of aircraft high-frequency communications systems. |
|----------------|--|

|                       |  |
|-----------------------|--|
| <b>Classification</b> | Aeronautical Engineering > Avionic Maintenance |
|-----------------------|--|

|                        |          |
|------------------------|----------|
| <b>Available grade</b> | Achieved |
|------------------------|----------|

---

### Guidance Information

- 1 All tasks must be carried out in accordance with enterprise procedures.
- 2 Definition  
*Enterprise procedures* – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.
- 3 Maintenance activities are those usually carried out on an aircraft in a hangar.
- 4 The scope of the system that this standard relates to is described in ATA iSpec 2200, chapter 23.

---

### Outcomes and performance criteria

#### Outcome 1

Prepare to maintain aircraft high-frequency communications systems.

#### Performance criteria

- 1.1 Task is determined by reviewing maintenance documentation.
- 1.2 Resources are obtained and checked for serviceability or status.

Range may include but is not limited to – publications, tools, equipment, safety equipment, materials.

- 1.3 Aircraft registration and system to be maintained are matched with documentation.
- 1.4 Aircraft and system are prepared for the application of power and for system operation.
- Range cockpit controls match component positions, clearances, isolation tags, warning signs.
- 1.5 Ground and/or support equipment is positioned ready for system operation.

## Outcome 2

Locate defects in aircraft high-frequency communications systems.

### Performance criteria

- 2.1 Serviceability is determined.
- Range inspect, assess, test.
- 2.2 Defects are reported and documented.

## Outcome 3

Restore airworthiness of aircraft high-frequency communications systems.

### Performance criteria

- 3.1 Methods of rectifying defects are determined.
- 3.2 Replacement parts are procured and verified as authentic and serviceable.
- Range identify, inspect.
- 3.3 Defects are rectified.
- Range may include but is not limited to – repair, replace, modify, adjust, calibrate.
- 3.4 System is tested to verify serviceability.
- 3.5 Inspections are obtained.
- Range independent, duplicate, progressive.

## Outcome 4

Complete the maintenance task of aircraft high-frequency communications systems.

**Performance criteria**

4.1 Aircraft, system, and work area are left in a state that enables the next task to begin.

4.2 Resources are checked for serviceability and returned to service or storage.

Range may include but is not limited to – publications, tools, equipment, safety equipment.

4.3 Leftover parts and materials are disposed of.

Range may include but is not limited to – serviceable, unserviceable, surplus, waste, scrap, hazardous.

4.4 Documentation is completed.

Range may include but is not limited to – labels, work cards, release notes, log books, certification.

|                                |   |
|--------------------------------|---|
| <b>Replacement information</b> | This unit standard, unit standard 22510, unit standard 22511, unit standard 22512, unit standard 22513, and unit standard 22514, replaced unit standard 3946. |
|--------------------------------|---|

|                            |                  |
|----------------------------|------------------|
| <b>Planned review date</b> | 31 December 2024 |
|----------------------------|------------------|

**Status information and last date for assessment for superseded versions**

| Process      | Version | Date            | Last Date for Assessment |
|--------------|---------|-----------------|--------------------------|
| Registration | 1       | 19 May 2006     | 31 December 2016         |
| Review       | 2       | 24 October 2014 | 31 December 2021         |
| Review       | 3       | 26 March 2020   | N/A                      |

|  |      |
|--|------|
| <b>Consent and Moderation Requirements (CMR) reference</b> | 0028 |
|--|------|

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

**Comments on this unit standard**

Please contact ServiceIQ [qualifications@serviceiq.org.nz](mailto:qualifications@serviceiq.org.nz) if you wish to suggest changes to the content of this unit standard.