

|              |   |                |           |
|--------------|---|----------------|-----------|
| <b>Title</b> | <b>Repair aircraft galley chilling equipment components</b> |                |           |
| <b>Level</b> | <b>4</b>  | <b>Credits</b> | <b>10</b> |

|                |   |
|----------------|---|
| <b>Purpose</b> | People credited with this unit standard are able to: prepare to repair aircraft galley chilling equipment components; locate defects in aircraft galley chilling equipment components; repair aircraft galley chilling equipment components; test and adjust aircraft galley chilling equipment components; and complete the repair task. |
|----------------|---|

|                       |  |
|-----------------------|--|
| <b>Classification</b> | Aeronautical Engineering > Avionic Electrical Repair |
|-----------------------|--|

|                        |          |
|------------------------|----------|
| <b>Available grade</b> | Achieved |
|------------------------|----------|

---

### Guidance Information

- 1 All tasks must be carried out in accordance with enterprise procedures.
- 2 Definition  
*Enterprise procedures* – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.
- 3 The repair activities referred to in this unit standard are those usually carried out in a specialist bay or workshop on components that have been removed from the aircraft.
- 4 Equipment components may include chillers, refrigerators.

---

### Outcomes and performance criteria

#### Outcome 1

Prepare to repair aircraft galley chilling equipment components.

#### Performance criteria

- 1.1 Task is determined by reviewing maintenance documentation and enterprise procedures.  
  
Range confirm fault, repair, modify.

- 1.2 Work area is prepared, and resources are obtained and checked for serviceability or status.
- Range may include but is not limited to – publications, materials, tools, equipment, safety equipment, environmental conditions established.
- 1.3 Component identification is matched with documentation.
- 1.4 Component is prepared for repair.
- Range clean, inspect, assess economics of carrying out repair.
- 1.5 Next task is determined and documented.
- Range locate defects, repair, test, adjust, complete the task.

## **Outcome 2**

Locate defects in aircraft galley chilling equipment components.

### **Performance criteria**

- 2.1 Defects are located using troubleshooting techniques and inspection procedures appropriate to the defect indications.
- 2.2 Any defects are reported and documented.

## **Outcome 3**

Repair aircraft galley chilling equipment components.

### **Performance criteria**

- 3.1 Component is disassembled.
- Range clean, label, preserve, segregate, store.
- 3.2 Rectification action is determined and documented.
- 3.3 Parts are procured and verified as authentic and serviceable.
- Range identify, inspect.
- 3.4 Defects are rectified.
- Range repair, replace, modify, adjust.
- 3.5 Component is assembled.

3.6 Inspections are obtained.

Range independent, duplicate, progressive.

#### **Outcome 4**

Test and adjust aircraft galley chilling equipment components.

#### **Performance criteria**

4.1 Component is prepared for testing.

4.2 Component is tested and adjusted.

Range troubleshoot, functionally test, calibrate, adjust, document adjustments and performance.

4.3 Inspections are obtained.

Range independent, duplicate, progressive.

#### **Outcome 5**

Complete the repair task.

#### **Performance criteria**

5.1 Component is prepared.

Range may include but is not limited to – use, storage, transit, locking, inhibiting, blanking, packing, shelf-life requirement.

5.2 Resources are checked for serviceability and returned to service or storage.

Range may include but is not limited to – tools, equipment, safety equipment, publications.

5.3 Leftover parts and materials are disposed of.

Range may include but is not limited to – serviceable, unserviceable, surplus, waste, scrap, hazardous.

5.4 Documentation is completed.

Range may include but is not limited to – labels, work cards, release notes, logbooks, certification.

5.5 Work area is left in a state that enables the next task to begin.

---

|                                |   |
|--------------------------------|---|
| <b>Replacement information</b> | This unit standard and unit standard 22553 replaced unit standard 3963. |
|--------------------------------|---|

|                            |                  |
|----------------------------|------------------|
| <b>Planned review date</b> | 31 December 2024 |
|----------------------------|------------------|

#### Status information and last date for assessment for superseded versions

| Process      | Version | Date              | Last Date for Assessment |
|--------------|---------|-------------------|--------------------------|
| Registration | 1       | 19 May 2006       | 31 December 2016         |
| Revision     | 2       | 21 September 2007 | 31 December 2016         |
| Review       | 3       | 24 October 2014   | 31 December 2021         |
| Review       | 4       | 26 March 2020     | N/A                      |

|  |      |
|--|------|
| <b>Consent and Moderation Requirements (CMR) reference</b> | 0028 |
|--|------|

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

#### Comments on this unit standard

Please contact ServiceIQ [qualifications@serviceiq.org.nz](mailto:qualifications@serviceiq.org.nz) if you wish to suggest changes to the content of this unit standard.