

<b>Title</b>	<b>Repair electromechanical air data instrument components</b>		
<b>Level</b>	<b>4</b>	<b>Credits</b>	<b>30</b>

<b>Purpose</b>	People credited with this unit standard are able to: prepare to repair electromechanical air data instrument components; locate defects in electromechanical air data instrument components; repair electromechanical air data instrument components; test and adjust electromechanical air data instrument components; and complete the repair task.
----------------	---

<b>Classification</b>	Aeronautical Engineering > Avionic Instrument Repair
-----------------------	--

<b>Available grade</b>	Achieved
------------------------	----------

---

### Guidance Information

- 1 All tasks must be carried out in accordance with enterprise procedures.
- 2 Definition  
*Enterprise procedures* – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.
- 3 The repair activities referred to in this unit standard are those usually carried out in a specialist bay or workshop on components that have been removed from the aircraft.
- 4 Electromechanical air data instrument components may include controllers; engine pressure ratio transducers; air data computers; Total Air Temperature, Static Air Temperature and True Air Speed computers; altimeters; altitude encoders; airspeed indicators; Machmeters; vertical speed indicators.

---

### Outcomes and performance criteria

#### Outcome 1

Prepare to repair electromechanical air data instrument components.

#### Performance criteria

- 1.1 Task is determined by reviewing maintenance documentation and enterprise procedures.  
  
Range confirm fault, repair, modify.

1.2 Work area is prepared, and resources obtained and checked for serviceability or status.

Range may include but is not limited to – publications, materials, tools, equipment, safety equipment, environmental conditions established.

1.3 Component identification is matched with documentation.

1.4 Component is prepared for repair.

Range clean, inspect, assess economics of carrying out repair.

1.5 Next task is determined and documented.

Range locate defects, repair, test, adjust, complete the task.

## **Outcome 2**

Locate defects in electromechanical air data instrument components.

### **Performance criteria**

2.1 Defects are located using troubleshooting techniques and inspection procedures appropriate to the defect indications.

2.2 Any defects are reported and documented.

## **Outcome 3**

Repair electromechanical air data instrument components.

### **Performance criteria**

3.1 Component is disassembled.

Range clean, label, preserve, segregate, store.

3.2 Rectification action is determined and documented.

3.3 Parts are procured and verified as authentic and serviceable.

Range identify, inspect.

3.4 Defects are rectified.

Range repair, replace, modify, adjust.

3.5 Component is assembled.

3.6 Inspections are obtained.

Range independent, duplicate, progressive.

#### **Outcome 4**

Test and adjust electromechanical air data instrument components.

#### **Performance criteria**

4.1 Component is prepared for testing.

4.2 Component is tested and adjusted.

Range may include but is not limited to – troubleshoot, functionally test, calibrate, adjust, document adjustments and performance.

4.3 Inspections are obtained.

Range independent, duplicate, progressive.

#### **Outcome 5**

Complete the repair task.

#### **Performance criteria**

5.1 Component is prepared.

Range may include but is not limited to – use, storage, transit, locking, inhibiting, blanking, packing, shelf-life requirement.

5.2 Resources are checked for serviceability and returned to service or storage.

Range may include but is not limited to – tools, equipment, safety equipment, publications.

5.3 Leftover parts and materials are disposed of.

Range may include but is not limited to – serviceable, unserviceable, surplus, waste, scrap, hazardous.

5.4 Documentation is completed.

Range may include but is not limited to – labels, work cards, release notes, logbooks, certification.

5.5 Work area is left in a state that enables the next task to begin.

---

<b>Replacement information</b>	This unit standard, unit standard 22560, and unit standard 22561 replaced unit standard 3972.
--------------------------------	---

<b>Planned review date</b>	31 December 2025
----------------------------	------------------

#### Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	19 May 2006	31 December 2016
Revision	2	21 September 2007	31 December 2016
Review	3	24 October 2014	31 December 2022
Review	4	23 July 2020	N/A

<b>Consent and Moderation Requirements (CMR) reference</b>	0028
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

#### Comments on this unit standard

Please contact ServiceIQ [qualifications@serviceiq.org.nz](mailto:qualifications@serviceiq.org.nz) if you wish to suggest changes to the content of this unit standard.