Title	Repair aircraft remote reading quantitative instruments and components		
Level	4	Credits	30

Purpose	People credited with this unit standard are able to: prepare to repair aircraft remote reading quantitative instruments and components; locate defects in aircraft remote reading quantitative instruments and components; repair aircraft remote reading quantitative instruments and components; test and adjust aircraft remote reading quantitative instruments and components; and complete the repair task.
	production of the second of th

Classification	Aeronautical Engineering > Avionic Instrument Repair	

Available grade	Achieved
-----------------	----------

### **Guidance Information**

1 All tasks must be carried out in accordance with enterprise procedures.

## 2 Definition

Enterprise procedures – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.

- 3 The repair activities referred to in this unit standard are those usually carried out in a specialist bay or workshop on components that have been removed from the aircraft.
- Instruments and components may include but is not limited to quantity indicators and transmitters, flow indicators and transmitters, electromechanical indicators, position indicators and transmitters, temperature indicators and transmitters, pressure indicators and transmitters, tachogenerators and instruments.

# Outcomes and performance criteria

## **Outcome 1**

Prepare to repair aircraft remote reading quantitative instruments and components.

#### Performance criteria

1.1 Task is determined by reviewing maintenance documentation and enterprise procedures.

Range confirm fault, repair, modify.

1.2 Work area is prepared, and resources obtained and checked for serviceability or status.

Range may include but is not limited to – publications, materials, tools,

equipment, safety equipment, environmental conditions

established.

- 1.3 Instrument and component identity is matched with documentation.
- 1.4 Instrument and component are prepared for repair.

Range clean, inspect, assess economics of carrying out repair.

1.5 Next task is determined and documented.

Range locate defects, repair, test, adjust, complete the task.

#### Outcome 2

Locate defects in aircraft remote reading quantitative instruments and components.

## Performance criteria

- 2.1 Defects are located using troubleshooting techniques and inspection procedures appropriate to the defect indications.
- 2.2 Any defects are reported and documented.

#### Outcome 3

Repair aircraft remote reading quantitative instruments and components.

### Performance criteria

3.1 Instrument and component is disassembled.

Range clean, label, preserve, segregate, store.

- 3.2 Rectification action is determined and documented.
- 3.3 Parts are procured and verified as authentic and serviceable.

Range identify, inspect.

NZQA unit standard 22940 version 4 Page 3 of 4

3.4 Defects are rectified.

> repair, replace, modify, adjust. Range

- 3.5 Component is assembled.
- 3.6 Inspections are obtained.

independent, duplicate, progressive. Range

#### **Outcome 4**

Test and adjust aircraft remote reading quantitative instruments and components.

#### Performance criteria

- 4.1 Instrument and component are prepared for testing.
- 4.2 Instrument and component are tested and adjusted.

Range may include but is not limited to – troubleshoot, functionally test, calibrate, adjust, document adjustments and performance.

4.3 Inspections are obtained.

> Range independent, duplicate, progressive.

## Outcome 5

Complete the repair task.

#### Performance criteria

5.1 Instrument and component are prepared.

> Range may include but is not limited to – use, storage, transit, locking, inhibiting, blanking, packing, shelf-life requirement.

5.2 Resources are checked for serviceability and returned to service or storage.

> Range may include but is not limited to – tools, equipment, safety equipment, publications.

5.3 Leftover parts and materials are disposed of.

> Range may include but is not limited to – serviceable, unserviceable, surplus, waste, scrap, hazardous.

5.4 Documentation is completed.

> Range may include but is not limited to - labels, work cards, release

notes, logbooks, certification.

## 5.5 Work area is left in a state that enables the next task to begin.

Replacement information	This unit standard replaced unit standard 3993.
Planned review date	31 December 2025

Status information and last date for assessment for superseded versions

otatus information and last date for assessment for superseaca versions				
Process	Version	Date	Last Date for Assessment	
Registration	1	19 May 2006	31 December 2016	
Revision	2	21 September 2007	31 December 2016	
Review	3	24 October 2014	31 December 2022	
Review	4	23 July 2020	N/A	

nsent and Moderation Requirements (CMR) reference	0028
---	------

This CMR can be accessed at http://www.nzga.govt.nz/framework/search/index.do.

## Comments on this unit standard

Please contact ServiceIQ <u>qualifications@serviceiq.org.nz</u> if you wish to suggest changes to the content of this unit standard.