Title	Hard anodise aeronautical grade aluminium components		
Level	4	Credits	15

Purpose	People credited with this unit standard are able to: prepare to hard anodise aeronautical grade aluminium components; carry out hard anodising; perform post-anodising treatment; and complete the hard anodising task.	
	They are also able to operate, be in full control, and take responsibility for the process.	

Classification	Aeronautical Engineering > Aeronautical Electroplating
----------------	--

Available grade	Achieved
-----------------	----------

Guidance Information

1 All tasks must be carried out in accordance with enterprise procedures.

2 Definition

Enterprise procedures – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.

- Acts, regulations, and bylaws regarding the handling of toxic material and waste must be complied with during assessment against this standard.
- 4 Solution temperature should be 0-4°C unless otherwise specified.
- 5 Specifications will determine either voltage or current control.
- 6 This unit standard applies to a hard-anodic coating on any aeronautical grade aluminium.
- 7 Operating parameters may include treatment times, current or voltage, pH, temperature, anode condition.

Outcomes and performance criteria

Outcome 1

Prepare to hard anodise aeronautical grade aluminium components.

NZQA unit standard 23595 version 4
Page 2 of 4

Performance criteria

- 1.1 Task is determined by reviewing maintenance documentation and enterprise procedures.
- 1.2 Component identity is confirmed with documentation.
- 1.3 Work area is prepared and checked.

Range may include but is not limited to – materials, equipment, safety equipment, environmental conditions established.

- 1.4 Solution parameters are analysed to ensure process tolerances are met.
- 1.5 Component is stripped.
- 1.6 Corrosion removal is carried out.
- 1.7 Dimensional tolerance assessment is completed to ensure conformity with specifications.

Outcome 2

Carry out hard anodising.

Performance criteria

2.1 Component is masked.

Range may include but is not limited to – tape, paint, lacquer, metallic foil, wax, plastic sheeting, fixtures.

- 2.2 Hard anodise coating is applied to aluminium component.
- 2.3 Equipment is monitored and adjusted.

Range may include but is not limited to – solution agitation, solution temperature, current density, pH, voltage.

Outcome 3

Perform post-anodising treatment.

Performance criteria

- 3.1 Masking and jigging is removed.
- 3.2 Component is sealed.

NZQA unit standard 23595 version 4
Page 3 of 4

3.3 Quality control is carried out.

Range may include but is not limited to – visual inspection, adhesion

testing, abrasion resistance test.

Outcome 4

Complete the hard anodising task.

Performance criteria

4.1 Component is prepared for use, storage, or transit.

Range may include but is not limited to – inhibiting, packing.

4.2 Resources are checked for serviceability and returned to service or storage.

Range may include but is not limited to – tools, equipment, safety

equipment.

4.3 Leftover parts and materials are disposed of.

Range may include but is not limited to – serviceable, unserviceable,

surplus, waste, scrap, hazardous.

4.4 Documentation is completed.

Range may include but is not limited to – labels, work cards, release

notes, certification.

4.5 Work area is left in a state that enables the next task to begin.

Planned review date	31 December 2027
---------------------	------------------

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	26 March 2007	31 December 2016
Review	2	24 October 2014	31 December 2021
Review	3	26 March 2020	N/A
Rollover and Revision	4	26 April 2024	N/A

Consent and Moderation Requirements (CMR) reference	0028
---	------

This CMR can be accessed at http://www.nzqa.govt.nz/framework/search/index.do.

NZQA unit standard 23595 version 4
Page 4 of 4

Comments on this unit standard

Please contact Ringa Hora Services Workforce Development Council qualifications@ringahora.nz if you wish to suggest changes to the content of this unit standard.