

Manufacture special laminated pressings

Level 4

Credits 24

Purpose People credited with this unit standard are able to demonstrate knowledge of installation requirements for laminated pressings, and manufacture special laminated pressings.

Subfield Joinery

Domain Laminate Fabrication

Status Registered

Status date 20 February 2009

Date version published 20 February 2009

Planned review date 31 December 2014

Entry information Open.

Accreditation Evaluation of documentation and visit by NZQA and industry.

Standard setting body (SSB) Joinery Industry Training Organisation

Accreditation and Moderation Action Plan (AMAP) reference 0073

This AMAP can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

Special notes

- 1 All workplace practices must comply with current legislation, codes of practice, and documented site safety procedures for personal, product, and worksite safety.
- 2 Legislation and regulations relevant to this unit standard include but are not limited to – Health and Safety in Employment Act 1992; Health and Safety in Employment Regulations 1995.

Elements and performance criteria

Element 1

Demonstrate knowledge of installation requirements for special laminated pressings.

Performance Criteria

- 1.1 Template requirements are interpreted in accordance with working drawings and job specifications.
- 1.2 Template is made in accordance with working drawings and job specifications.
- 1.3 Fixing methods are identified in accordance with working drawings and job specifications.
- 1.4 The procedures for attaching pressings to the carcass or frame are outlined in accordance with working drawings and job specifications.
- 1.5 Any potential problems associated with on-site attachment of pressings are identified, and solutions outlined in accordance with workplace practices.
- 1.6 Any protective measures required for the finished product are identified and outlined in accordance with workplace practices.

Element 2

Manufacture special laminated pressings.

Performance criteria

- 2.1 The special pressings are identified from working drawings and job specifications.
- 2.2 The quantity of material needed, including adhesives and attachments, is calculated, and an order placed, in accordance with workplace practices.
- 2.3 Templates are used to ensure job specifications are met, where required, in accordance with workplace practices.
- 2.4 The substrate is set-out, machined and prepared in accordance with working drawings and job specifications.
- 2.5 The press is set up in accordance with workplace practices and manufacturer's specifications.
- 2.6 Adhesive is applied and the laminate is pressed to the substrate in accordance with manufacturer's specifications.
- 2.7 Trimming, finishing and edging is completed in accordance with working drawings and job specifications.

2.8 Attachments are fitted to the pressing in accordance with manufacturer's specifications.

Range includes but is not limited to – bowls, basins, inserts, draining trays.

Please note

Providers must be accredited by NZQA, or an inter-institutional body with delegated authority for quality assurance, before they can report credits from assessment against unit standards or deliver courses of study leading to that assessment.

Industry Training Organisations must be accredited by NZQA before they can register credits from assessment against unit standards.

Accredited providers and Industry Training Organisations assessing against unit standards must engage with the moderation system that applies to those standards.

Accreditation requirements and an outline of the moderation system that applies to this standard are outlined in the Accreditation and Moderation Action Plan (AMAP). The AMAP also includes useful information about special requirements for organisations wishing to develop education and training programmes, such as minimum qualifications for tutors and assessors, and special resource requirements.

Comments on this unit standard

Please contact the Joinery Industry Training Organisation ceo@jito.org.nz if you wish to suggest changes to the content of this unit standard.