Title	Repair aircraft emergency locator transmitter (ELT) components		
Level	4	Credits	10

Purpose	People credited with this unit standard are able to: prepare to repair aircraft ELT components; locate defects in aircraft ELT components; repair aircraft ELT components; test and adjust
	aircraft ELT components; and complete the repair task.

Classification	Aeronautical Engineering > Avionic Radio Repair
Available grade	Achieved

Guidance Information

- 1 All tasks must be carried out in accordance with enterprise procedures.
- 2 Definition

Enterprise procedures – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.

3 The repair activities referred to in this unit standard are those usually carried out in a specialist bay or workshop on components that have been removed from the aircraft.

Outcomes and performance criteria

Outcome 1

Prepare to repair aircraft ELT components.

Performance criteria

- 1.1 Task is determined by reviewing maintenance documentation and enterprise procedures.
 - Range may include but is not limited to confirm fault, test, repair, modify.
- 1.2 Work area is prepared, and resources obtained and checked for serviceability or status.

Range may include but is not limited to – publications, materials, tools, equipment, safety equipment.

- 1.3 Component identity is matched with documentation.
- 1.4 Component is prepared for repair.
- 1.5 Next task is determined and documented.

Range locate defects, test, repair, adjust, complete the task.

Outcome 2

Locate defects in aircraft ELT components.

Performance criteria

- 2.1 Defects are located using troubleshooting techniques and inspection procedures appropriate to the defect indications.
- 2.2 Any defects are reported and documented.

Outcome 3

Repair aircraft ELT components.

Performance criteria

3.1	Component is disassembled.		
	Range	clean, label, preserve, segregate, store.	
3.2	Rectification	action is determined and documented.	
3.3	Parts are procured and verified as authentic and serviceable.		
	Range	identify, inspect.	
3.4	Defects are rectified.		
	Range	repair, replace, modify.	
3.5	Component is assembled.		
3.6	Inspections are obtained.		
	Range	independent, progressive.	
Outcome 4			

Test and adjust aircraft ELT components.

Performance criteria

- 4.1 Component is prepared for testing.
- 4.2 Component is tested and adjusted.

Range may include but is not limited to – troubleshoot, functionally test, calibrate, adjust, document adjustments and performance.

4.3 Inspections are obtained.

Range independent, progressive.

Outcome 5

Complete the repair task.

Performance criteria

5.1	Component is prepared.		
	Range	may include but is not limited to – use, storage, transit, locking, blanking, packing, shelf-life requirement.	
5.2	Resources are checked for serviceability and returned to service or storage.		
	Range	may include but is not limited to – tools, equipment, safety equipment, publications.	
5.3	Leftover parts and materials are disposed of.		
	Range	may include but is not limited to – serviceable, unserviceable, surplus, waste, scrap.	
5.4	Documentation is completed.		
	Range	may include but is not limited to – labels, work cards, release notes.	
5.5	Work area is	s left in a state that enables the next task to begin.	

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	23 November 2017	31 December 2022
Review	2	23 July 2020	N/A

Consent and Moderation Requirements (CMR) reference	0028
This CMR can be accessed at http://www.nzga.govt.nz/framework/sea	rch/index.do.

Comments on this unit standard

Please contact ServiceIQ <u>qualifications@serviceiq.org.nz</u> if you wish to suggest changes to the content of this unit standard.