

<b>Title</b>	<b>Fix flat fibrous plaster sheets to surfaces</b>		
<b>Level</b>	<b>2</b>	<b>Credits</b>	<b>8</b>

<b>Purpose</b>	People credited with this unit standard are able to fix flat fibrous plaster sheets to surface areas, and clean up after work is completed.
----------------	---------------------------------------------------------------------------------------------------------------------------------------------

<b>Classification</b>	Construction Trades > Fibrous Plaster
-----------------------	---------------------------------------

<b>Available grade</b>	Achieved
------------------------	----------

---

### Guidance Information

- 1 Credit for this unit standard can be achieved on site through a registered assessor, or off site with an accredited training provider.
- 2 All work practices must comply with the following:  
Health and Safety in Employment Act 1992;  
Health and Safety in Employment Regulations 1995;  
Resource Management Act 1991;  
Building Act 2004;  
AS/NZS 2589:2007 *Gypsum linings – Application and finishing*, available from Standards NZ (<http://www.standards.co.nz>);  
*Approved Code of Practice for the Safe Erection and Use of Scaffolding* (Wellington: Occupational Safety and Health Service, Department of Labour, 1995) available at <http://www.osh.govt.nz>;  
New Zealand Building Code.

---

### Outcomes and performance criteria

#### Outcome 1

Fix flat fibrous plaster sheets to surface areas.

#### Performance criteria

- 1.1 Access is arranged and complies with the Health and Safety in Employment Regulations 1995.
- 1.2 Sheet sizes are determined from work measure and order list.
- 1.3 Sheets are trimmed for jointing methods specified, projections and recesses.
- 1.4 Temporary support systems are selected and used as required by the site conditions.

- 1.5 Sheets are fixed to framing or backing as specified by manufacturer.  
Range nails, screws, adhesives, wadding; combination.
- 1.6 All operations are completed without damage to the workplace, tools or plant.

**Outcome 2**

Clean up after work is completed.

**Performance criteria**

- 2.1 Tools and plant are maintained, cleaned and stored in accordance with site practice.
- 2.2 Waste material is disposed of and workplace is cleaned in accordance with site practice.

<b>Replacement information</b>	This unit standard replaced unit standard 4320 and unit standard 4321.
--------------------------------	------------------------------------------------------------------------

**This unit standard is expiring. Assessment against the standard must take place by the last date for assessment set out below.**

**Status information and last date for assessment for superseded versions**

Process	Version	Date	Last Date for Assessment
Registration	1	29 August 2000	31 December 2024
Revision	2	18 May 2005	31 December 2024
Review	3	20 April 2006	31 December 2024
Revision	4	25 January 2008	31 December 2024
Review	5	26 May 2022	31 December 2024

<b>Consent and Moderation Requirements (CMR) reference</b>	0048
------------------------------------------------------------	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.