

<b>Title</b>	<b>Maintain and store flooring equipment</b>		
<b>Level</b>	<b>2</b>	<b>Credits</b>	<b>5</b>

<b>Purpose</b>	<p>This unit standard is for people entering the flooring industry.</p> <p>People credited with this unit standard are able to maintain flooring equipment, and store flooring equipment.</p>
----------------	---

<b>Classification</b>	Construction Trades > Flooring
-----------------------	--------------------------------

<b>Available grade</b>	Achieved
------------------------	----------

---

### Guidance Information

- 1 Performance of the outcomes of this unit standard must comply with the following legislation and guides: the Building Act 2004; Health and Safety in Employment Act 1992; *A Guide to the Health and Safety in Employment Act 1992*, 2<sup>nd</sup> edition (Department of Labour, 2003) available at <http://www.osh.dol.govt.nz>; and their subsequent amendments.
- 2 Definitions  
*Workplace procedures* are all authorised instructions, processes and work practices carried out in the workshop, factory, shop and worksite.  
*Maintenance* – refers to clean and in good condition, any repairs are carried out in line with manufacturer’s specifications.
- 3 Range  
Flooring equipment includes but is not limited to – electrical extension leads, fire extinguisher, vacuum systems, electrical drills;  
may include but is not limited to – edging machines, drum or belt sanders, rotary sanders, diamond grinders, mechanical strippers, compressors, air guns, gas bottle with gas torch, rollers, heat bond irons, power stretcher, knee kicker, thermoplastic welding gun. Equipment chosen will depend on the specific flooring sector.

---

### Outcomes and performance criteria

#### Outcome 1

Maintain flooring equipment.

#### Performance criteria

- 1.1 Maintenance carried out is in accordance with the manufacturers’ specifications and workplace procedures.

**Outcome 2**

Store flooring equipment.

**Performance criteria**

- 2.1 Flooring equipment is stored in a ready-for-use condition in accordance with workplace procedures.

<b>Replacement information</b>	This unit standard replaced unit standard 9773.
--------------------------------	---

**This unit standard is expiring. Assessment against the standard must take place by the last date for assessment set out below.**

**Status information and last date for assessment for superseded versions**

Process	Version	Date	Last Date for Assessment
Registration	1	29 May 2000	31 December 2013
Revision	2	18 February 2004	31 December 2013
Review	3	26 March 2007	31 December 2013
Review	4	18 February 2011	31 December 2024
Review	5	25 November 2021	31 December 2024
Rollover	6	30 November 2023	31 December 2024

<b>Consent and Moderation Requirements (CMR) reference</b>	0175
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.