

Title	Maintain humidity or dewpoint monitoring equipment		
Level	4	Credits	4

Purpose	People credited with this unit standard are able to: <ul style="list-style-type: none"> – calibrate humidity or dewpoint monitoring equipment; and – maintain and repair humidity or dewpoint monitoring equipment.
----------------	---

Classification	Industrial Measurement and Control > Industrial Measurement and Control - Maintenance
-----------------------	---

Available grade	Achieved
------------------------	----------

Guidance Information

- 1 This unit standard has been developed for learning and assessment in a workplace environment.
- 2 References
 ANSI/ISA-51.1-1979 (R1993) *Process Instrumentation Terminology*;
 Electricity Act 1992;
 Electricity (Safety) Regulations 2010;
 Health and Safety at Work Act 2015 and
 Associated regulations;
 ISSN 0114-0663, *New Zealand Electrical Codes of Practice*, available from
 Worksafe, <https://worksafe.govt.nz/>;
 and all subsequent amendments and replacements.
- 3 Definitions
Industry requirements – includes all asset owner requirements, manufacturers' specifications; and enterprise requirements which cover the documented workplace policies, procedures, specifications, business requirements; and quality management requirements relevant to the workplace in which the assessment is carried out.
Maintain – planned activity during normal operation, to conserve or keep an item or piece of equipment in a state of repair and to ensure that this is done in a sustainable way.
Repair – unplanned and often urgent work that needs to be carried out to restore plant or equipment to normal operation.
- 4 Recommended skills and knowledge: Unit 28081, *Demonstrate knowledge of gas analytical measurement and flame, gas, smoke, and heat detection*.

Outcomes and performance criteria

Outcome 1

Calibrate humidity or dewpoint monitoring equipment.

Performance criteria

- 1.1 Identify type and cause of typical errors.
 - Range may include but is not limited to – probe failure, temperature compensation.
- 1.2 Explain and follow safe work procedures.
 - Range may include but is not limited to – isolation, pressure.
- 1.3 Select test equipment according to accuracy and range of devices.
 - Range may include but is not limited to – psychometric chart, wet-dry bulb hygrometer.
- 1.4 Calibrate humidity or dewpoint monitoring equipment to an accuracy specified by the data sheet.
 - Range zero, span.
- 1.5 Document test results in accordance with industry requirements.

Outcome 2

Maintain and repair humidity or dewpoint monitoring equipment.

Performance criteria

- 2.1 Locate, interpret, and apply technical information for maintaining equipment.
- 2.2 Explain and follow safe work procedures.
 - Range may include but is not limited to – isolation, pressure.
- 2.3 Maintain and repair equipment to ensure continued operation.
 - Range may include but is not limited to – tools, materials, parts, techniques, specifications.
- 2.4 Produce maintenance reports in accordance with industry requirements.

Planned review date	31 December 2021
----------------------------	------------------

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	31 October 1995	31 December 2013
Revision	2	30 October 1997	31 December 2013
Revision	3	3 April 2001	31 December 2013
Review	4	22 June 2001	31 December 2013
Review	5	19 May 2008	31 December 2019
Review	6	21 November 2013	N/A
Rollover and Revision	7	28 June 2018	N/A

Consent and Moderation Requirements (CMR) reference	0003
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

Comments on this unit standard

Please contact The Skills Organisation reviewcomments@skills.org.nz if you wish to suggest changes to the content of this unit standard.