

Title	Demonstrate knowledge of, stop and finish plaster board areas on site		
Level	4	Credits	35

Purpose	People credited with this unit standard are able to describe methods used to finish plaster board areas on site to all levels of finish; and stop and finish all plaster board wall and ceiling areas on site to all levels of finish, by hand.
----------------	---

Classification	Construction Trades > Plaster Board
-----------------------	-------------------------------------

Available grade	Achieved
------------------------	----------

Guidance Information

1 Definitions

Access equipment, for the purpose of this unit standard, means equipment used to facilitate access to the work area, and may include ladders, working platforms, scaffolding or mechanical plant. Approved codes of practice relating to the safe operation of this equipment are available at <http://www.osh.govt.nz>.

On site refers to a wide range of building and construction environments within which trade skills are applied.

Specifications refers to documented instructions (oral, written, graphic) and may include any of the following: manufacturer's specifications, recommendations or technical data sheets; material specifications; specifications from a specialist source such as an architect, designer, engineer or a supervisor; site or work specific requirements.

Work site practice refers to the documented procedures specific to a work site, which set out the standard and required practices of that work site.

2 Performance of the elements must meet quality and work requirements of an on-site environment. Work requirements are detailed in the current *Industry Productivity Guidelines*, which are available from the Building and Construction Industry Training Organisation, PO Box 2615, Wellington.

3 All work practices must comply with the following:

Health and Safety in Employment Act 1992 and Health and Safety in Employment Regulations 1995; Resource Management Act 1991; Building Act 2004; AS/NZS 2589:2007 *Gypsum linings - Application and finishing*, available from Standards NZ (<http://www.standards.co.nz>); *Approved Code of Practice for the Safe Erection and Use of Scaffolding* (Wellington: Occupational Safety and Health Service, Department of Labour, 1995) available at <http://www.osh.govt.nz>.

- 4 Credit for this unit standard indicates compliance with industry practice. *Industry practice* refers to the ability to demonstrate knowledge and skills that reflect the productivity, uniformity, finish quality and material economies currently accepted within industry.

Outcomes and performance criteria

Outcome 1

Describe methods to stop and finish plaster board wall and ceiling areas on site to all levels of finish.

Performance criteria

- 1.1 Methods of stopping and finishing are described in accordance with manufacturer's and job specifications.
- Range setting and pre-mixed compounds.
- 1.2 Levels of finish are described in accordance with AS/NZS 2589:2007.

Outcome 2

Stop and finish all plaster board wall and ceiling areas on site to all levels of finish, by hand.

Range on site environments include – residential, industrial, commercial, multi-storey; one environment is required.

Performance criteria

- 2.1 Substrate surface is checked for suitability for stopping and finishing in accordance with the manufacturer's recommendations.
- 2.2 Level of finish required is identified from job specifications.
- 2.3 Access equipment for wall and ceiling areas is arranged in accordance with the Health and Safety in Employment Regulations.
- 2.4 Base compound is prepared and applied in accordance with the manufacturer's recommendations.
- 2.5 Jointing tapes are applied in accordance with the manufacturer's recommendations.
- 2.6 Finishing compound is prepared and applied to achieve level of finish specified.
- 2.7 Surfaces are finished as specified.
- Range sanding, skim coating.

- 2.8 All operations are completed, workplace and tools cleaned, and tools stored in accordance with work site practice.

This unit standard is expiring. Assessment against the standard must take place by the last date for assessment set out below.

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	18 January 1996	31 December 2024
Revision	2	5 July 1999	31 December 2024
Review	3	29 August 2000	31 December 2024
Revision	4	18 May 2005	31 December 2024
Review	5	20 April 2006	31 December 2024
Review	6	25 January 2008	31 December 2024
Review	7	26 May 2022	31 December 2024

Consent and Moderation Requirements (CMR) reference	0048
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.