3

L3–PHYSMR

993608

NZQA

NEW ZEALAND QUALIFICATIONS AUTHORITY
MANA TOHU MĀTAURANGA O AOTEAROA

QUALIFY FOR THE FUTURE WORLD
KIA NOHO TAKATŪ KI TŌ ĀMUA AO!

Ahupūngao, Kaupae 3, 2020

2.00 i te ahiahi Rāapa 2 Hakihea 2020

PUKAPUKA RAUEMI
mō 91523M, 91524M me 91526M

Tirohia tēnei pukapuka hei whakatutuki i ngā tūmahi o ō Pukapuka Tūmahi, Tuhinga hoki.

Tirohia mēnā e tika ana te raupapatanga o ngā whārangi 2–5 kei roto i tēnei pukapuka, ka mutu, kāore tētahi o aua whārangi i te takoto kau.

KA TAEA TĒNEI PUKAPUKA TE PUPURI HEI TE MUTUNGA O TE WHAKAMĀTAUTAU.

Tērā pea he āwhina kei ngā raraunga me ngā ture tātai e whai ake nei ki a koe.

91523M Te whakaatu māramatanga ki ngā pūnaha ngaru

$$d\sin\theta = n\lambda \qquad n\lambda = \frac{dx}{L} \qquad f' = f\frac{v_{\mathrm{W}}}{v_{\mathrm{W}} \pm v_{\mathrm{S}}} \qquad v = f\lambda \qquad f = \frac{1}{T}$$

91524M Te whakaatu māramatanga ki ngā pūhanga manawa

$$F = ma \qquad p = mv \qquad \Delta p = F\Delta t \qquad \Delta E_{\mathrm{p}} = mg\Delta h$$

$$W = Fd \qquad E_{\mathrm{K(LIN)}} = \frac{1}{2}mv^2 \qquad x_{\mathrm{COM}} = \frac{m_1x_1 + m_2x_2}{m_1 + m_2}$$

$$d = r\theta \qquad v = r\omega \qquad a = r\alpha \qquad \omega = \frac{\Delta\theta}{\Delta t}$$

$$\alpha = \frac{\Delta\omega}{\Delta t} \qquad \omega = 2\pi f \qquad f = \frac{1}{T} \qquad E_{\mathrm{K(ROT)}} = \frac{1}{2}I\omega^2$$

$$\omega_{\mathrm{f}} = \omega_{\mathrm{i}} + \alpha t \qquad \theta = \frac{\omega_{\mathrm{f}} + \omega_{\mathrm{i}}}{2}t \qquad \omega_{\mathrm{f}}^{\ 2} = \omega_{\mathrm{i}}^{\ 2} + 2\alpha\theta \qquad \theta = \omega_{\mathrm{i}}t + \frac{1}{2}\alpha t^2$$

$$\tau = I\alpha \qquad \tau = Fr \qquad L = mvr \qquad \theta = \omega_{\mathrm{f}}t - \frac{1}{2}\alpha t^2$$

$$F_{\mathrm{g}} = \frac{\mathrm{G}Mm}{r^2} \qquad F_{\mathrm{c}} = \frac{mv^2}{r} \qquad L = I\omega$$

$$F = -ky \qquad E_{\mathrm{p}} = \frac{1}{2}ky^2 \qquad T = 2\pi\sqrt{\frac{l}{g}} \qquad T = 2\pi\sqrt{\frac{m}{k}}$$

$$y = A\sin\omega t \qquad v = A\omega\cos\omega t \qquad a = -A\omega^2\sin\omega t \qquad a = -\omega^2 y$$

$$y = A\cos\omega t \qquad v = -A\omega\sin\omega t \qquad a = -A\omega^2\cos\omega t$$

You may find the following data and formulae useful.

91523 Demonstrate understanding of wave systems

$d\sin\theta = n\lambda$ $\quad n\lambda = \frac{dx}{L}$ $\quad f' = f\frac{v_{\mathrm{W}}}{v_{\mathrm{W}} \pm v_{\mathrm{S}}}$ $\quad v = f\lambda$ $\quad f = \frac{1}{T}$

91524 Demonstrate understanding of mechanical systems

$F = ma$	$p = mv$	$\Delta p = F\Delta t$	$\Delta E_{\mathrm{p}} = mg\Delta h$
$W = Fd$	$E_{\mathrm{K(LIN)}} = \frac{1}{2}mv^2$	$x_{\mathrm{COM}} = \frac{m_1x_1 + m_2x_2}{m_1 + m_2}$	
$d = r\theta$	$v = r\omega$	$a = r\alpha$	$\omega = \frac{\Delta\theta}{\Delta t}$
$\alpha = \frac{\Delta\omega}{\Delta t}$	$\omega = 2\pi f$	$f = \frac{1}{T}$	$E_{\mathrm{K(ROT)}} = \frac{1}{2}I\omega^2$
$\omega_{\mathrm{f}} = \omega_{\mathrm{i}} + \alpha t$	$\theta = \frac{\omega_{\mathrm{f}} + \omega_{\mathrm{i}}}{2}t$	$\omega_{\mathrm{f}}^{\ 2} = \omega_{\mathrm{i}}^{\ 2} + 2\alpha\theta$	$\theta = \omega_{\mathrm{i}}t + \frac{1}{2}\alpha t^2$
$\tau = I\alpha$	$\tau = Fr$	$L = mvr$	$\theta = \omega_{\mathrm{f}}t - \frac{1}{2}\alpha t^2$
$F_{\mathrm{g}} = \frac{\mathrm{G}Mm}{r^2}$	$F_{\mathrm{c}} = \frac{mv^2}{r}$	$L = I\omega$	
$F = -ky$	$E_{\mathrm{p}} = \frac{1}{2}ky^2$	$T = 2\pi\sqrt{\frac{l}{g}}$	$T = 2\pi\sqrt{\frac{m}{k}}$
$y = A\sin\omega t$	$v = A\omega\cos\omega t$	$a = -A\omega^2\sin\omega t$	$a = -\omega^2 y$
$y = A\cos\omega t$	$v = -A\omega\sin\omega t$	$a = -A\omega^2\cos\omega t$	

91526M Te whakaatu māramatanga ki ngā pūnaha hiko

$$V = Ed \qquad \Delta E = Vq \qquad E = \frac{1}{2}QV \qquad Q = CV$$

$$C = \frac{\varepsilon_o \varepsilon_r A}{d} \qquad C_{\mathrm{T}} = C_1 + C_2 + \ldots \qquad \frac{1}{C_{\mathrm{T}}} = \frac{1}{C_1} + \frac{1}{C_2} + \ldots \qquad \tau = RC$$

$$R_{\mathrm{T}} = R_1 + R_2 + \ldots \qquad \frac{1}{R_{\mathrm{T}}} = \frac{1}{R_1} + \frac{1}{R_2} + \ldots \qquad V = IR \qquad P = VI$$

$$\phi = BA \qquad \varepsilon = -L\frac{\Delta I}{\Delta t} \qquad \varepsilon = -\frac{\Delta \phi}{\Delta t} \qquad f_0 = \frac{1}{2\pi\sqrt{LC}}$$

$$\frac{N_{\mathrm{p}}}{N_{\mathrm{s}}} = \frac{V_{\mathrm{p}}}{V_{\mathrm{s}}} \qquad E = \frac{1}{2}LI^2 \qquad \tau = \frac{L}{R} \qquad I = I_{\mathrm{MAX}} \sin \omega t$$

$$V = V_{\mathrm{MAX}} \sin \omega t \qquad I_{\mathrm{MAX}} = \sqrt{2}\, I_{\mathrm{rms}} \qquad V_{\mathrm{MAX}} = \sqrt{2}\, V_{\mathrm{rms}} \qquad X_C = \frac{1}{\omega C}$$

$$X_L = \omega L \qquad V = IZ \qquad \omega = 2\pi f \qquad f = \frac{1}{T}$$

Raraunga whaitake

Te tere o te aho	$= 3.00 \times 10^{8}$ m s^{-1}
Te whana kei te irahiko	$= -1.60 \times 10^{-19}$ C
Te whakaterenga nā te tō ā-papa o Papatūānuku	$= 9.81$ m s^{-2}
Aumou hiko	$= 8.85 \times 10^{-12}$ F m^{-1}
Te tō ā-papa pūmau tukupū	$= 6.67 \times 10^{-11}$ N m^2 kg^{-2}

91526 Demonstrate understanding of electrical systems

$$V = Ed \qquad \Delta E = Vq \qquad E = \frac{1}{2}QV \qquad Q = CV$$

$$C = \frac{\varepsilon_o \varepsilon_r A}{d} \qquad C_{\mathrm{T}} = C_1 + C_2 + \ldots \qquad \frac{1}{C_{\mathrm{T}}} = \frac{1}{C_1} + \frac{1}{C_2} + \ldots \qquad \tau = RC$$

$$R_{\mathrm{T}} = R_1 + R_2 + \ldots \qquad \frac{1}{R_{\mathrm{T}}} = \frac{1}{R_1} + \frac{1}{R_2} + \ldots \qquad V = IR \qquad P = VI$$

$$\phi = BA \qquad \varepsilon = -L\frac{\Delta I}{\Delta t} \qquad \varepsilon = -\frac{\Delta \phi}{\Delta t} \qquad f_0 = \frac{1}{2\pi\sqrt{LC}}$$

$$\frac{N_{\mathrm{p}}}{N_{\mathrm{s}}} = \frac{V_{\mathrm{p}}}{V_{\mathrm{s}}} \qquad E = \frac{1}{2}LI^2 \qquad \tau = \frac{L}{R} \qquad I = I_{\mathrm{MAX}} \sin \omega t$$

$$V = V_{\mathrm{MAX}} \sin \omega t \qquad I_{\mathrm{MAX}} = \sqrt{2}\, I_{\mathrm{rms}} \qquad V_{\mathrm{MAX}} = \sqrt{2}\, V_{\mathrm{rms}} \qquad X_C = \frac{1}{\omega C}$$

$$X_L = \omega L \qquad V = IZ \qquad \omega = 2\pi f \qquad f = \frac{1}{T}$$

Useful data

Speed of light	$= 3.00 \times 10^{8}$ m s^{-1}
Charge on the electron	$= -1.60 \times 10^{-19}$ C
Acceleration due to gravity on Earth	$= 9.81$ m s^{-2}
Permittivity of free space	$= 8.85 \times 10^{-12}$ F m^{-1}
Universal gravitational constant	$= 6.67 \times 10^{-11}$ N m^2 kg^{-2}

English translation of the wording on the front cover

L3-PHYSMR

Level 3 Physics, 2020

2.00 p.m. Wednesday 2 December 2020

RESOURCE BOOKLET
for 91523, 91524 and 91526

Refer to this booklet to answer the questions in your Question and Answer Booklets.

Check that this booklet has pages 2–5 in the correct order and that none of these pages is blank.

YOU MAY KEEP THIS BOOKLET AT THE END OF THE EXAMINATION.