

See back cover for an English
translation of this cover

3

L3-PHYSMR



NEW ZEALAND QUALIFICATIONS AUTHORITY
MANA TOHU MĀTAURANGA O AOTEAROA

QUALIFY FOR THE FUTURE WORLD
KĪA NOHO TAKATŪ KI TŌ ĀMUA AO!

Mātai Ahupūngao, Kaupae 3, 2022

TE PUKAPUKA RAUEMI
mō 91523M, 91524M, me 91526M

Tirohia tēnei pukapuka hei whakaoti i ngā tūmahi kei ō Pukapuka mō ngā Tūmahi me ngā Tuhinga.

Tirohia kia kitea ai e tika ana te raupapatanga o ngā whārangi 2–5 kei roto i tēnei pukapuka, ka mutu, kāore tētahi o aua whārangi i te takoto kau.

E ĀHEI ANA TŌ PUPURI KI TĒNEI PUKAPUKA HEI TE MUTUNGA O TE WHAKAMĀTAUTAU.

Tērā pea, he āwhina kei ngā raraunga me ngā ture tātai e whai ake nei ki a koe.

91523 Te whakaatu māramatanga ki ngā pūnaha ngaru

$$d \sin \theta = n\lambda \quad n\lambda = \frac{dx}{L} \quad f' = f \frac{v_w}{v_w \pm v_s} \quad v = f\lambda \quad f = \frac{1}{T}$$

91524 Te whakaatu māramatanga ki ngā pūhanga manawa

$F = ma$	$p = mv$	$\Delta p = F \Delta t$	$\Delta E_p = mg \Delta h$
$W = Fd$	$E_{K(LIN)} = \frac{1}{2}mv^2$	$x_{COM} = \frac{m_1x_1 + m_2x_2}{m_1 + m_2}$	
$d = r\theta$	$v = r\omega$	$a = r\alpha$	$\omega = \frac{\Delta\theta}{\Delta t}$
$\alpha = \frac{\Delta\omega}{\Delta t}$	$\omega = 2\pi f$	$f = \frac{1}{T}$	$E_{K(ROT)} = \frac{1}{2}I\omega^2$
$\omega_f = \omega_i + \alpha t$	$\theta = \frac{\omega_f + \omega_i}{2}t$	$\omega_f^2 = \omega_i^2 + 2\alpha\theta$	$\theta = \omega_i t + \frac{1}{2}\alpha t^2$
$\tau = I\alpha$	$\tau = Fr$	$L = mvr$	$\theta = \omega_f t - \frac{1}{2}\alpha t^2$
$F_g = \frac{GMm}{r^2}$	$F_c = \frac{mv^2}{r}$	$L = I\omega$	
$F = -ky$	$E_p = \frac{1}{2}ky^2$	$T = 2\pi\sqrt{\frac{l}{g}}$	$T = 2\pi\sqrt{\frac{m}{k}}$
$y = A \sin \omega t$	$v = A\omega \cos \omega t$	$a = -A\omega^2 \sin \omega t$	$a = -\omega^2 y$
$y = A \cos \omega t$	$v = -A\omega \sin \omega t$	$a = -A\omega^2 \cos \omega t$	

You may find the following data and formulae useful.

91523 Demonstrate understanding of wave systems

$$d \sin \theta = n\lambda \quad n\lambda = \frac{dx}{L} \quad f' = f \frac{v_w}{v_w \pm v_s} \quad v = f\lambda \quad f = \frac{1}{T}$$

91524 Demonstrate understanding of mechanical systems

$F = ma$	$p = mv$	$\Delta p = F \Delta t$	$\Delta E_p = mg \Delta h$
$W = Fd$	$E_{K(LIN)} = \frac{1}{2}mv^2$	$x_{COM} = \frac{m_1x_1 + m_2x_2}{m_1 + m_2}$	
$d = r\theta$	$v = r\omega$	$a = r\alpha$	$\omega = \frac{\Delta\theta}{\Delta t}$
$\alpha = \frac{\Delta\omega}{\Delta t}$	$\omega = 2\pi f$	$f = \frac{1}{T}$	$E_{K(ROT)} = \frac{1}{2}I\omega^2$
$\omega_f = \omega_i + \alpha t$	$\theta = \frac{\omega_f + \omega_i}{2}t$	$\omega_f^2 = \omega_i^2 + 2\alpha\theta$	$\theta = \omega_i t + \frac{1}{2}\alpha t^2$
$\tau = I\alpha$	$\tau = Fr$	$L = mvr$	$\theta = \omega_f t - \frac{1}{2}\alpha t^2$
$F_g = \frac{GMm}{r^2}$	$F_c = \frac{mv^2}{r}$	$L = I\omega$	
$F = -ky$	$E_p = \frac{1}{2}ky^2$	$T = 2\pi\sqrt{\frac{l}{g}}$	$T = 2\pi\sqrt{\frac{m}{k}}$
$y = A \sin \omega t$	$v = A\omega \cos \omega t$	$a = -A\omega^2 \sin \omega t$	$a = -\omega^2 y$
$y = A \cos \omega t$	$v = -A\omega \sin \omega t$	$a = -A\omega^2 \cos \omega t$	

91526 Te whakaatu māramatanga ki ngā pūnaha hiko

$$V = Ed \qquad \Delta E = Vq \qquad E = \frac{1}{2}QV \qquad Q = CV$$

$$C = \frac{\epsilon_0 \epsilon_r A}{d} \qquad C_T = C_1 + C_2 + \dots \qquad \frac{1}{C_T} = \frac{1}{C_1} + \frac{1}{C_2} + \dots \qquad \tau = RC$$

$$R_T = R_1 + R_2 + \dots \qquad \frac{1}{R_T} = \frac{1}{R_1} + \frac{1}{R_2} + \dots \qquad V = IR \qquad P = VI$$

$$\phi = BA \qquad \epsilon = -L \frac{\Delta I}{\Delta t} \qquad \epsilon = -\frac{\Delta \phi}{\Delta t} \qquad f_0 = \frac{1}{2\pi\sqrt{LC}}$$

$$\frac{N_p}{N_s} = \frac{V_p}{V_s} \qquad E = \frac{1}{2}LI^2 \qquad \tau = \frac{L}{R} \qquad I = I_{\text{MAX}} \sin \omega t$$

$$V = V_{\text{MAX}} \sin \omega t \qquad I_{\text{MAX}} = \sqrt{2} I_{\text{rms}} \qquad V_{\text{MAX}} = \sqrt{2} V_{\text{rms}} \qquad X_c = \frac{1}{\omega C}$$

$$X_L = \omega L \qquad V = IZ \qquad \omega = 2\pi f \qquad f = \frac{1}{T}$$

Ngā raraunga whaitake

Te tere o te aho	$= 3.00 \times 10^8 \text{ m s}^{-1}$
Te whana kei te irahiko	$= -1.60 \times 10^{-19} \text{ C}$
Te whakaterenga nā te tō ā-papa o Papatūānuku	$= 9.81 \text{ m s}^{-2}$
Te pūmau o te hiko	$= 8.85 \times 10^{-12} \text{ F m}^{-1}$
Te rōnaki o te tō ā-papa tukipū	$= 6.67 \times 10^{-11} \text{ N m}^2 \text{ kg}^{-2}$

91526 Demonstrate understanding of electrical systems

$$V = Ed \qquad \Delta E = Vq \qquad E = \frac{1}{2}QV \qquad Q = CV$$

$$C = \frac{\epsilon_0 \epsilon_r A}{d} \qquad C_T = C_1 + C_2 + \dots \qquad \frac{1}{C_T} = \frac{1}{C_1} + \frac{1}{C_2} + \dots \qquad \tau = RC$$

$$R_T = R_1 + R_2 + \dots \qquad \frac{1}{R_T} = \frac{1}{R_1} + \frac{1}{R_2} + \dots \qquad V = IR \qquad P = VI$$

$$\phi = BA \qquad \epsilon = -L \frac{\Delta I}{\Delta t} \qquad \epsilon = -\frac{\Delta \phi}{\Delta t} \qquad f_0 = \frac{1}{2\pi\sqrt{LC}}$$

$$\frac{N_p}{N_s} = \frac{V_p}{V_s} \qquad E = \frac{1}{2}LI^2 \qquad \tau = \frac{L}{R} \qquad I = I_{\text{MAX}} \sin \omega t$$

$$V = V_{\text{MAX}} \sin \omega t \qquad I_{\text{MAX}} = \sqrt{2} I_{\text{rms}} \qquad V_{\text{MAX}} = \sqrt{2} V_{\text{rms}} \qquad X_c = \frac{1}{\omega C}$$

$$X_L = \omega L \qquad V = IZ \qquad \omega = 2\pi f \qquad f = \frac{1}{T}$$

Useful data

Speed of light $= 3.00 \times 10^8 \text{ m s}^{-1}$

Charge on the electron $= -1.60 \times 10^{-19} \text{ C}$

Acceleration due to gravity on Earth $= 9.81 \text{ m s}^{-2}$

Permittivity of free space $= 8.85 \times 10^{-12} \text{ F m}^{-1}$

Universal gravitational constant $= 6.67 \times 10^{-11} \text{ N m}^2 \text{ kg}^{-2}$

English translation of the wording on the front cover

L3-PHYSMR

Level 3 Physics 2022

RESOURCE BOOKLET
for 91523M, 91524M, and 91526M

Refer to this booklet to answer the questions in your Question and Answer Booklets.

Check that this booklet has pages 2–5 in the correct order and that none of these pages is blank.

YOU MAY KEEP THIS BOOKLET AT THE END OF THE EXAMINATION.