



Mana Tohu Mātauranga o Aotearoa New Zealand Qualifications Authority

Level 3 Calculus 2024

91578 Apply differentiation methods in solving problems

Credits: Six

Achievement	Achievement with Merit	Achievement with Excellence
Apply differentiation methods in solving problems.	Apply differentiation methods, using relational thinking, in solving problems.	Apply differentiation methods, using extended abstract thinking, in solving problems.

Check that the National Student Number (NSN) on your admission slip is the same as the number at the top of this page.

You should attempt ALL the questions in this booklet.

Make sure that you have the Formulae and Tables Booklet L3–CALCF.

Show ALL working.

If you need more room for any answer, use the extra space provided at the back of this booklet.

Check that this booklet has pages 2–20 in the correct order and that none of these pages is blank.

Do not write in any cross-hatched area (<//>
(<//>
<//>
</

YOU MUST HAND THIS BOOKLET TO THE SUPERVISOR AT THE END OF THE EXAMINATION.

QUESTION ONE

(a) Differentiate $f(x) = \sqrt{(4-9x^4)}$. You do not need to simplify your answer.

(b) A curve is defined by the equation $y = (x^2 + 3x + 2) \sin x$.

Find the gradient of the tangent to this curve when x = 0. You must use calculus and show any derivatives that you need to find when solving this problem.

(c) For the function below, find the range of values of x for which the function is decreasing. $y = 3(2x - 7)^2 + 60 \ln x + 12$, x > 0*You must use calculus and show any derivatives that you need to find when solving this problem.* (d) Find the *x*-value(s) of any stationary points on the graph of the function below, **and determine their nature**.

 $y = (2x - 1) e^{-2x}$

(e) A curve is defined by the equation $y = \frac{2x^2 - 1 - 2x \ln x}{x}$, where x > 0.

The curve has a point of inflection at the point P.

Find the equation of the tangent to the curve at the point P.

QUESTION TWO

A function is defined parametrically by the pair of equations: (a)

 $x = 3t^2 + 1$ and $y = \cos t$.

Find an expression for $\frac{dy}{dx}$.

(b) An object is travelling in a straight line. Its displacement, in metres, is given by the formula $s(t) = \ln(3t^2 + 5t + 2)$, where t > 0 and t is time, in seconds.

Find the velocity of this object when t = 1 second.

(c) Show that $y = \sin(x^2) - \cos(x)$ is a solution to the equation

$$\frac{d^2 y}{dx^2} + 4x^2 y = 2\cos(x^2) + (1 - 4x^2)\cos x.$$

· · · · · · · · ·

/////

(d) Consider the function $f(x) = \frac{\ln x}{x}, x > 0.$

Find the coordinates of the point of inflection on the graph of the function.*You can assume that your point found is actually a point of inflection.You must use calculus and show any derivatives that you need to find when solving this problem.*

(e) The graph of the function $y = \frac{xe^{3x}}{2x+k}$, where k is a non-zero constant, has a single turning point at **Q**.

Find the *x*-coordinate of the point Q.

You must use calculus and show any derivatives that you need to find when solving this problem.

/ /

9	

QUESTION THREE

- (a) Differentiate $y = \sqrt{x} \cdot \sec(6x)$. You do not need to simplify your answer.
- (b) The graph below shows the function y = f(x).



- (i) For the function above, find the value(s) of x where f(x) is continuous but not differentiable.
- (ii) For the function above, find the value(s) of x where f'(x) = 0.
- (iii) What is the value of $\lim_{x \to -1} f(x)$?

State clearly if the value does not exist.

You **do not need** to determine the nature of any stationary point(s) found.

(d) Jamie is doing some baking and pouring the flour to form a conical pile.

The height of the pile is always the same as the diameter of the base of the cone.

If the flour is being added at a constant rate of 3 cm³ per second, at what rate is the height increasing when the pile is 4 cm in height?

You must use calculus and show any derivatives that you need to find when solving this problem.

Note that volume of a cone
$$=\frac{1}{3}\pi r^2 h$$
.



<--r-→



https://www.istockphoto.com/ nl/foto/man-gieten-bloem-uitde-kom-van-de-maatregelgm825182090-133804287



Question Three continues on the next page.

(e) The diagram below shows part of the graph of the function $f(x) = e^{-x^2}$, where $x \ge 0$.



The point P lies on the curve and the point Q lies on the x-axis so that OP = PQ, where O is the origin.

Prove that the largest possible area of the triangle OPQ is $\frac{1}{\sqrt{2e}}$.

You do not need to show that the area you have found is a maximum.

15	

	16	
	Extra space if required.	
QUESTION	Write the question number(s) if applicable.	
NUMBER		

/

11111

	Extra space if required. Write the question number(s) if applicable.	
QUESTION NUMBER		

-

OVESTION Extra space if required. Write the question number(s) if applicable. Image:	

/ K

2

11111

	Extra space if required. Write the question number(s) if applicable.
IBER	

-



/ / / /