

No part of the candidate evidence in this exemplar material may be presented in an external assessment for the purpose of gaining credits towards an NCEA qualification.

2

91170



911700



NEW ZEALAND QUALIFICATIONS AUTHORITY
MANA TOHU MĀTAURANGA O AOTEAROA

QUALIFY FOR THE FUTURE WORLD
KIA NOHO TAKATŪ KI TŌ ĀMUA AO!

SUPERVISOR'S USE ONLY

Level 2 Physics, 2015

91170 Demonstrate understanding of waves

9.30 a.m. Tuesday 17 November 2015
Credits: Four

| Achievement | Achievement with Merit | Achievement with Excellence |
|-------------------------------------|--|---|
| Demonstrate understanding of waves. | Demonstrate in-depth understanding of waves. | Demonstrate comprehensive understanding of waves. |

Check that the National Student Number (NSN) on your admission slip is the same as the number at the top of this page.

You should attempt ALL the questions in this booklet.

Make sure that you have Resource Sheet L2–PHYSR.

In your answers use clear numerical working, words and/or diagrams as required.

Numerical answers should be given with an appropriate SI unit.

If you need more space for any answer, use the page(s) provided at the back of this booklet and clearly number the question.

Check that this booklet has pages 2–12 in the correct order and that none of these pages is blank.

YOU MUST HAND THIS BOOKLET TO THE SUPERVISOR AT THE END OF THE EXAMINATION.

Not Achieved

TOTAL

6

ASSESSOR'S USE ONLY

QUESTION ONE: MIRRORS

Sela is experimenting with curved mirrors. She places a lighted candle in front of a **concave mirror** and obtains an image on a screen.

- (a) State the nature (real or virtual) and the orientation (upright or inverted) of the image.

the image will be real and upright. //

Upright is incorrect.

- (b) The image of the candle is formed 25.0 cm from the mirror. The focal length of the mirror is 16.0 cm. The height of the image is 0.50 cm.

Calculate the **distance** of the object from the mirror and the **height** of the object.

$$d_i = 25.0 \text{ cm}$$

$$\frac{1}{f} = \frac{1}{d_o} + \frac{1}{d_i}$$

$$f = 16.0 \text{ cm}$$

$$\frac{1}{16.0} = \frac{1}{d_o} + \frac{1}{25.0}$$

$$m = \frac{d_i}{d_o} = \frac{h_i}{h_o}$$

$$h_i = 0.50 \text{ cm}$$

$$\frac{1}{d_o} = \frac{1}{25.0} - \frac{1}{16.0}$$

$$\frac{25.0}{44.4} = \frac{0.50}{h_o}$$

$$d_o = ? = 44.4$$

$$= 0.04 - 0.0625$$

$$0.56 = 0.50 / h_o$$

$$h_o = ? = 0.28 \text{ cm}$$

$$= -0.0225$$

$$0.56 \times 0.50$$

$$\frac{1}{d_o} = \frac{1}{-0.0225}$$

$$h_o = 0.28 \text{ cm} \times$$

$$d_o = 44.4 \checkmark$$

Calculation for the height of the object is incorrect.

- (c) Sela then placed the candle in front of a **convex mirror**.

Explain why she was unable to get an image of the candle on a screen.

Because in a convex mirror the images that are produced when produced are virtual meaning not real. When the object is placed close to the mirror the object will either produce the image behind it or not at all. In this case Sela has put object on the focal point meaning that not image will be produced. //


Correct type of image, but the rest of the answer is wrong.

(d) Dentists use curved mirrors.

Write a comprehensive explanation for why dentists use curved mirrors instead of plane mirrors to examine a tooth.

In your answer include:

- the name of the type of mirror they use
- a ray diagram.



Dentist use Convex mirrors that are able to magnify and see the tooth up close, instead of using plane mirror which don't. Plane mirrors show virtual images, technically they aren't real. Same with convex only the reason why they produce a virtual is because the image that is produced is magnified. And because it is magnified is why dentist use this mirror. So they are able to find cavities hidden or too small to see in a plane or concave mirror.

Convex mirrors do not 'magnify'.

QUESTION TWO: LENSES AND REFRACTION

- (a) Tom uses a convex lens as a magnifying glass. He puts a petal of a flower 2.0 cm in front of the lens to study it. The lens has a focal length of 5.0 cm .

Calculate the distance of the image from the lens.

$$\begin{aligned}
 d_o &= 2.0\text{ cm} & \frac{1}{f} &= \frac{1}{d_o} + \frac{1}{d_i} & d_i &= \frac{1}{\frac{1}{f} - \frac{1}{d_o}} \\
 f &= 5.0\text{ cm} & \frac{1}{5.0} &= \frac{1}{2.0} + \frac{1}{d_i} & &= \frac{1}{\frac{1}{5.0} - \frac{1}{2.0}} \\
 d_i &= ? & \frac{1}{d_i} &= \frac{1}{5.0} - \frac{1}{2.0} & &= \frac{1}{0.2 - 0.5} \\
 & & &= -0.3 & &
 \end{aligned}$$

Correct with negative

- (b) Tom goes to a pool. He shines a red laser into the pool. He notices that even though the light ray bends, its colour does not change.

Explain why the colour of the laser remains the same.


The colour of the laser stays the same because //

No mention of frequency.

- (c) Tom shines the red laser at an angle of 40° to the surface of the water in the pool, as shown in the diagram below.

Refractive index of air = 1.00

Refractive index of water = 1.33



Calculate the angle of refraction.

$$n_1 \sin \theta_1 = n_2 \sin \theta_2$$

$$n_1 = 1.00$$

$$\theta_1 = 40^\circ$$

$$n_2 = 1.33$$

$$\theta_2 = ?$$

$$1.00 \sin 40^\circ = 1.33 \sin \theta_2$$

$$0.64 = 1.33 \sin \theta_2$$


$$0.48 = \sin \theta_2$$

$$\theta_2 = \sin^{-1}(0.48) = 28.9^\circ$$

$$\sin^{-1}(0.4832989547) = 28.9^\circ$$

Incorrect angle of incidence
so consequential error
and correct calculation.

- (d) There is a coin at the bottom of the pool. Tom looks at the coin from above and sees an image of the coin, as shown in the diagram below.



Write a comprehensive explanation for why the rays bend, and how the image of the coin at the bottom of the pool is formed when Tom looks at it from above.

The rays that show the image where ~~the~~ it being produced is due to the refraction of rays.

Due from the water as water is an optically dense medium the rays from the coin are ~~are~~ bend from air to water, meaning the image of the coin is produced higher than the coin actually is. i.e.

Idea of rays from the coin being refracted (bent) BUT nothing else.


a

A4


QUESTION THREE: ROPES AND A MIRAGE

- (a) Tom and his friend Ellen hold each end of a rope. Each of them sends a pulse along the rope in opposite directions. The grid below shows the motion of the pulses.


On the grid, draw the resultant pulse when the two pulses are fully superposed.



- (b) Tom ties a thick rope to a thin rope, as shown in the diagram below. He then sends a pulse from the thick rope towards the thin rope. The pulse travels faster through the thin rope.



In the box below draw a diagram to show what happens to the pulse as it undergoes reflection and transmission (refraction) once it reaches the boundary between the two ropes.



- (c) Explain what happens to the **amplitude** of the pulse in the thick rope when it reflects. //

No answer given.

- (d) Tom drives down the motorway on a hot sunny day. He notices a mirage ahead of him. A mirage is the image of the sky that has been reflected by the road. The air just above the surface of the road is hotter than the layers of air above it. Hot air is less optically dense than cold air.

Write a comprehensive explanation for why Tom sees a mirage.

cold air

hot air



Due from the air being hotter, meaning that the air is less optically dense this is what has caused the mirage to occur because the therefore the reflected rays of the sky are easier to produce which why Tom can see the image of skyline being put up on the concrete road. //


Nothing correct in this answer to award any grade.

(c) Two speakers producing the same sound are placed close together.

Tom walks along line AB and Ellen walks along line CD.

- Describe the sound that Tom hears.
- Compare the sound that Tom hears with the sound that Ellen hears.

Explain your answer.



Because Tom is closer to the speaker the sound will be louder and more intense compared to the sound Ellen would be hearing. Ellen would be ~~hearing~~ hearing it more clearly to Tom as the waves of the sound will diffract around him and to Ellen. Also the sound would be less loud and intense meaning that the sound would be quieter and clearer!!

Although there has been an attempt to draw a suitable diagram. The explanation shows no real understanding except that Ellen would hear a quieter sound.

Question Four continues
on the following page.


QUESTION FOUR: WAVES

ASSESSOR'S
USE ONLY

- (a) Tom and Ellen watch waves in the ocean. The diagram below shows the wave crests approaching a gap in a sea wall.

On the diagram, draw the wave crests after they have gone through the gap.

If you need
to redraw
this, use the
diagram on
page 11.



(From spare diagrams)

Incorrect diffraction
and wavelength.

- (b) Tom and Ellen stand on a beach, watching the waves. They notice that the wave fronts are closer together when they reach shallow water, as compared to the distance between wave fronts in deep water.

On one occasion, the distance between wave crests in deep water is 1.75 m . The speed of waves in deep water is 12.0 m s^{-1} . The speed of waves in shallow water is 4.5 m s^{-1} .

Calculate:

- the frequency of the waves
- the distance between wave crests in shallow water.

$$\begin{aligned}
 v &= f\lambda & t &= vd & d &= vt \text{ (shallow) Distance.} \\
 f &= \frac{1}{T} & &= 4.5 \times 1.75 & &= 7.875 \times 4.5 \\
 v &= d/t & t &= 7.875 \text{ s.} & &= \underline{\underline{35.4 \text{ m}}} \text{ (Distance)}^{(b)} \\
 v_{\text{deep}} &= 12.0 \text{ m s}^{-1} & f &= \frac{1}{T} & & \\
 v_{\text{shallow}} &= 4.5 \text{ m s}^{-1} & &= \frac{1}{7.875} = \underline{\underline{0.126 \text{ Hz}}} \text{ (rounded)} \rightarrow \text{(Frequency)}^{(a)} \\
 d &= 1.75 & & & & \\
 & & & \text{Frequency} = \underline{\underline{0.126984127}} \text{ //} & & \downarrow \text{From that.}
 \end{aligned}$$

Calculations incorrect.

- (d) Tom shines a red laser through the two slits and gets the following pattern on a screen.



Write a comprehensive explanation for why there are alternate bright and dark bands on the screen.


In your answer include concepts about path difference and interference. //

No answer provided.


SPARE DIAGRAMS

ASSESSOR'S
USE ONLY

If you need to redraw the pulse from Question Three (a), draw it on the diagram below. Make sure it is clear which diagram you want marked.



If you need to redraw your completion of the diagram from Question Four (a), draw it on the diagram below. Make sure it is clear which diagram you want marked. *Not made clear either.*



Seen

Maximum Diffraction

Does not occur

Due to the wavelength

of the wave being

bigger than the gap

Distance.

Extra paper if required.
Write the question number(s) if applicable.

ASSESSOR'S
USE ONLY

QUESTION
NUMBER

91170