Title	Act as pilot launch master within harbour limits		
Level	4	Credits	25

Purpose	People credited with this unit standard are able to: manage launch and launch resources; advise other vessel's master on required manoeuvre to make the optimum lee for transfer; manoeuvre the pilot launch for transfer operations; carry out pre- and post-operational procedures; and perform emergency manoeuvres.
Classification	Stevedoring and Ports Industry > Vessels' Port Operations
Available grade	Achieved

Manning Regulations.

Guidance Information

1 Legislative and regulatory requirements relevant to this unit standard include – Health and Safety at Work Act 2015:

Maritime Transport Act 1994:

Maritime Safety Authority (MSA) Maritime Rules and Safe Ship Management, available at https://www.maritimenz.govt.nz/;

MSA Maritime Rules, Part 22:

MSA Manning Regulations;

International Convention on Standards of Training, Certification and Watchkeeping, available at International Convention on Standards of Training, Certification and Watchkeeping for Seafarers, 1978 (imo.org);

Approved Code of Practice for Health and Safety in Port Operations, available at Health and safety in port operations | WorkSafe;

New Zealand Port and Harbour Marine Safety Code available at New Zealand Port and Harbour Marine Safety Code - Maritime NZ; and local harbour bylaws.

- Any new, amended or replacement Acts, regulations, standards, codes of practice, guidelines, or authority requirements or conditions affecting this unit standard will take precedence for assessment purposes, pending review of this unit standard.
- 3 Evidence presented for assessment against this unit standard must be consistent with safe working practices and be in accordance with company requirements, legislative requirements and regulatory requirements.

NZQA unit standard 11525 version 6
Page 2 of 4

Though not included in this unit standard, candidates are expected to have knowledge and experience of the following: local physical features (lights, navigational beacons, buoys, tides and currents, and hydrographic data) to a level of detail sufficient to safely manoeuvre a vessel; local port's communications, infrastructure, and emergency facilities; and the manoeuvring behaviour of ships in general. Confirmation a candidate has this knowledge and experience may be provided by the port authority or the candidate's employer.

5 Exception

Pilot transfer may be conducted beyond harbour limits where local circumstances and conditions demand it.

6 Definitions

Company requirements refer to instructions to staff on policy and procedures that are available in the workplace. These requirements may include – company policies and procedures, work instructions and legislative requirements.

Regulatory requirements refer to regulations set by but not limited to the New Zealand Customs Service, Ministry for Primary Industries and WorkSafe New Zealand.

Outcomes and performance criteria

Outcome 1

Manage launch and launch resources.

Performance criteria

- 1.1 Personnel are managed to ensure all equipment used in the operation is checked and any repairs required are initiated.
- 1.2 Personnel are managed to ensure the launch is ready for duty when required.

Range equipment, crew.

Outcome 2

Advise other vessel's master on required manoeuvre to make the optimum lee for transfer.

Performance criteria

2.1 Advice is provided and manner of communication enables the vessel's master to be fully aware of the required manoeuvre to effect a safe transfer and to provide sufficient sea room to effect the transfer, taking into account the needs of other traffic and physical constraints.

NZQA unit standard 11525 version 6
Page 3 of 4

Outcome 3

Manoeuvre the pilot launch for transfer operations.

Range pilot transfer, non-pilot transfer;

for pilot transfer – in all weathers (including marginal and rough sea conditions, but subject to any local restrictions due to port constraints) and limited visibility conditions, with vessels stopped, at anchor or underway, in open sea or harbour.

Performance criteria

3.1 Launch is manoeuvred to maintain the safety of personnel and the structural integrity of the launch and vessel throughout the transfer.

Range land alongside vessel, maintain position relative to boarding point,

clear away from alongside vessel.

Outcome 4

Carry out pre- and post-operational procedures.

Performance criteria

4.1 Requirements and conditions for tasks assigned are established.

Range engine room preparation, lifesaving and communications

equipment, personnel (number, expertise, fitness) and times of availability, harbour traffic, weather, tide and wind, required duties.

- 4.2 Personnel and other resources are allocated to undertake the tasks assigned.
- 4.3 Pre- and post-towage documentation is completed.
- 4.4 Launch is safely secured and is made ready for the next operation.

Outcome 5

Perform emergency manoeuvres.

Performance criteria

5.1 Launch is manoeuvred to effect the safe rescue of personnel from the water in the shortest practical time.

Range evidence may be from an actual and/or simulated situation or

situations.

5.2 Search and rescue manoeuvres are employed.

Range evidence may be from an actual and/or simulated situation or

situations.

NZQA unit standard 11525 version 6
Page 4 of 4

5.3 Launch is manoeuvred to extract the launch from dangerous situations.

Range dangerous situations include – other vessels out of control and

approaching with risk of collision, being caught on the lee side,

being caught under vessel's bow or stern.

evidence may be from an actual and/or simulated situation or

situations.

5.4 Launch manoeuvres to recover objects from the water and assist breakdowns are described.

Planned review date	31 December 2024
---------------------	------------------

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment	
Registration	1	26 November 1997	31 December 2023	
Revision	2	23 April 1999	31 December 2023	
Revision	3	10 April 2000	31 December 2023	
Review	4	28 June 2005	31 December 2023	
Rollover and Revision	5	17 September 2015	31 December 2023	
Review	6	24 February 2022	N/A	

Consent and Moderation Requirements (CMR) reference	0014
---	------

This CMR can be accessed at http://www.nzqa.govt.nz/framework/search/index.do.

Comments on this unit standard

Please contact Hanga-Aro-Rau Manufacturing, Engineering and Logistics Workforce Development Council <u>qualifications@hangaarorau.nz</u> if you wish to suggest changes to the content of this unit standard.