

Title	Check construction of concrete masonry and paving under supervision		
Level	3	Credits	2

Purpose	People credited with this standard can, under supervision: <ul style="list-style-type: none"> • check construction of concrete masonry on a construction site; • check construction of paving; and • clean and store tools, plant and equipment used to check concrete masonry and paving.
----------------	---

Classification	Carpentry Trades > Carpentry
-----------------------	------------------------------

Available grade	Achieved
------------------------	----------

Guidance Information

1 Scope of practice

Working *under supervision* means the ability to work to construction workplace standards under the supervision of a commercially competent practitioner whose role is to ensure the completed construction meets industry and regulatory requirements. This standard does not recognise commercial competence.

2 Assessment

This unit standard must be assessed under the supervision of a commercially competent practitioner in construction workplace conditions that reflect:

- current health, safety, industry, and workplace requirements; and
- industry requirements for commercially acceptable timeframes.

Evidence generated for assessment against this standard must be verified by a person who has current expertise in the building and construction trades and has had the opportunity to regularly observe the candidate in the workplace.

3 Range

Evidence generated for assessment against this standard must reflect workplace and industry requirements specified in:

- documented worksite specifications, procedures, and practices;
- manufacturer recommendations, specifications, and technical data sheets;
- applicable material safety data sheets;
- NZS 3109:1997 *Concrete construction*;
- the New Zealand Building Code.

Evidence generated for assessment against this standard must reflect the requirements of:

- Building Act 2004;
- Health and Safety at Work Act 2015;
- Resource Management Act 1991;
- Building Regulations 1992;
- Building (Forms) Regulations 2004;
- Health and Safety in Employment Regulations 1995.

4 Reference

NZS 3109:1997 *Concrete construction*. Available from Standards NZ (<http://www.standards.co.nz>).

Outcomes and performance criteria

Outcome 1

Check construction of concrete masonry on a construction site under supervision.

Performance criteria

- 1.1 Check footing levels and the positions of reinforcing starters against site documentation. Address any issues of non-conformance.
- 1.2 Check falsework for supporting lintels against site documentation. Address any issues of non-conformance.
- 1.3 Check block filling is placed and compacted. Address any issues of non-conformance.
- 1.4 Check the line, level, plumb, and height of concrete masonry. Address any issues of non-conformance.

Outcome 2

Check construction of paving.

Range examples of paving include – concrete, pavers.

Performance criteria

- 2.1 Check the base course is placed and compacted. Check base course levels. Address any issues of non-conformance.
- 2.2 Check the construction of the edge constraints. Address any issues of non-conformance.
- 2.3 Check paving construction against the site documentation. Address any issues of non-conformance.

Range surface finish, height, drainage.

Outcome 3

Clean and store tools, plant, and equipment used to check concrete masonry and paving.

Range plant includes – any machinery, vehicle, vessel, aircraft, equipment (including personal protective equipment), appliance, container, implement, or tool; any component of any of those things; anything fitted or connected to any of those things;
 personal protective equipment includes – anything used or worn by a person (including clothing) to minimise risks to the person’s health and safety;
 air-supplied respiratory equipment.

Performance criteria

- 3.1 Clean workplace, tools, and plant used to check and address concrete masonry and paving.
- 3.2 Store tools and plant used to check and address concrete masonry and paving.

Replacement information	This unit standard and unit standard 13027 replaced unit standard 628.
--------------------------------	--

Planned review date	31 December 2026
----------------------------	------------------

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	21 May 1999	31 December 2023
Review	2	26 February 2002	31 December 2023
Review	3	25 January 2008	31 December 2023
Review	4	30 September 2021	N/A

Consent and Moderation Requirements (CMR) reference	0048
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

Comments on this unit standard

Please contact the Building and Construction Industry Training Organisation at national.office@bcito.org.nz if you wish to suggest changes to the content of this unit standard.