Title	Match, mark out, and cut single-lay patterned upholstery fabric		
Level	3	Credits	8

Purpose	People credited with this unit standard are able to: prepare to cut; match and mark out; and cut, single-lay patterned upholstery fabric.
---------	---

Classification Furniture > Upholstery	
---------------------------------------	--

Available grade	Achieved
-----------------	----------

Guidance Information

- 1 Legislation relevant to this unit standard includes the Health and Safety at Work Act 2015, and any subsequent amendments.
- 2 Assessment information
 - This unit standard must be assessed against on-job.
 - All activities and performance criteria must be carried out in accordance with worksite policies and procedures.
- 3 Competence must be demonstrated on a patterned fabric from one of patterned flat, patterned pile, patterned stretch, patterned vinyl, patterned quilted, floral, striped; competence must be demonstrated using either shears or a wheel cutter.
- 4 Definition

Worksite policies and procedures refer to documented policies and to documented or other directions provided to staff. These may include, but are not limited to, ways of managing health and safety, environmental considerations, quality, and production, and must conform to legislation. Examples include standard operating procedures, company health and safety plans, on-site briefings, and supervisor's instructions.

Outcomes and performance criteria

Outcome 1

Prepare to cut single-lay patterned upholstery fabric.

Performance criteria

1.1 Job specifications are obtained and interpreted.

Range fabric, template, number of items, cutting plan, tolerances, positioning of pattern in relation to finished item.

1.2 Equipment for job is selected in accordance with job specifications and confirmed to be in good working order.

Range markers, ruler, straight edges, cutting tools, templates.

1.3 Fabric is selected, and match point identified in accordance with job specifications.

Outcome 2

Match and mark out single-lay patterned upholstery fabric.

Performance criteria

2.1 Template is placed on fabric to ensure layout of cutting plan meets job specifications.

Range fabric pattern match point, fabric defects, pattern position on upholstery, pattern continuity between panels.

2.2 Marker is used to mark out the fabric and label panels in accordance with job specifications.

Range clear line, line up with pattern/template, tolerances.

2.3 Fabric usage is recorded while marking out fabric.

Outcome 3

Cut single-lay patterned upholstery fabric.

Performance criteria

- 3.1 Cutting tools are used to cut fabric within specified tolerances in accordance with job specifications.
- 3.2 Cut fabric panels are stacked ready for the sewer.
- 3.3 Unused fabric rolls are labelled.

Range metres left, job number or fabric type, colour, supplier.

3.4 Work area is left clean, clear, and safe.

Planned review date	31 December 2024

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	30 April 1998	31 December 2023
Review	2	28 June 2005	31 December 2023
Review	3	19 June 2009	N/A
Review	4	26 November 2020	N/A

Consent and Moderation Requirements (CMR) reference	0173
---	------

This CMR can be accessed at http://www.nzqa.govt.nz/framework/search/index.do.

Comments on this unit standard

Please contact Competenz <u>qualifications@ competenz.org.nz</u> if you wish to suggest changes to the content of this unit standard.