Title	Carry out defensive control of structure and vehicle fires		
Level	3	Credits	3

Purpose	<ul> <li>People credited with this unit standard are able to:</li> <li>control structure and vehicle fires; and</li> <li>mop up structure and vehicle fires.</li> </ul>
	- mop up structure and venicle fires.

ClassificationFire and Rescue Services > Fire and Rescue Services - Generic Fire Fighting
--

Available grade	Achieved
Prerequisites	Unit 3285, Demonstrate knowledge of working safely at vegetation fires; or Unit 3283, Demonstrate knowledge of personal safety at fire and other emergency incidents; or demonstrate equivalent knowledge and skills.

## **Guidance Information**

- 1 Compliance with the fire and emergency agency's Health and Safety policy and procedures is mandatory.
- 2 Definition

*Fire and emergency agency's requirements* refer to policies, procedures and supporting documentation on safety and operations set down by each fire and emergency agency employer or host organisation.

- 3 Assessment against this unit standard must take place under real or simulated conditions.
- 4 Assessment against all outcomes must be in accordance with the fire and emergency agency's requirements.

# Outcomes and performance criteria

## Outcome 1

Control structure and vehicle fires.

## Performance criteria

- 1.1 Hazards that enables the safety of the operator and other personnel are identified.
  - Range hazardous materials, underfoot hazards, overhead hazards, materials burning, escape routes.
- 1.2 Delivery system is set up.

Range may include but is not limited to – hose size, nozzle size, hydroblender, foam equipment, branch type, branch setting.

1.3 Safety of the operator and other personnel is maintained for the duration of the operation.

Range selection of water pressure, use of backup personnel.

1.4 The needs of the selected tactics are met by application of extinguishing agent.

Range to cool, extinguish or control.

- 1.5 Fire is suppressed and the spread is contained with minimal use of water or environmental damage.
- 1.6 Actions are taken to prevent hose damage.

Range kinks; damage from embers, tools and vehicles; water hammer.

1.7 Communication with the pump operator is maintained for the duration of the operation.

#### Outcome 2

Mop up structure and vehicle fires.

### Performance criteria

- 2.1 Burning and smouldering material is identified and extinguished.
- 2.2 Safety of the operator and other personnel is maintained for the duration of mopping up operations.
- 2.3 Hose and other equipment are recommissioned.
- 2.4 Fire scene is secured.

## Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	30 April 1998	N/A
Review	2	25 March 2004	N/A
Review	3	20 November 2009	N/A
Revision and Rollover	4	30 September 2021	N/A

Consent and Moderation Requirements (CMR) reference	0039			
This CMR can be accessed at http://www.nzqa.govt.nz/framework/search/index.do.				

## Comments on this unit standard

Please contact The Skills Organisation <u>reviewcomments@skills.org.nz</u> if you wish to suggest changes to the content of this unit standard.