

Remove fabric coverings from upholstered lounge chairs in preparation for recovering

Level 2

Credits 3

Purpose People credited with this unit standard are able to prepare to remove and remove fabric coverings from upholstered lounge chairs.

Subfield Furniture

Domain Upholstery

Status Registered

Status date 19 June 2009

Date version published 19 June 2009

Planned review date 31 December 2014

Entry information Open.

Accreditation Evaluation of documentation by NZQA and industry.

Standard setting body (SSB) Competenz

Accreditation and Moderation Action Plan (AMAP) reference 0173

This AMAP can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

Special notes

- 1 This unit standard must be assessed against on-job.
- 2 Competence may be demonstrated on either show wood or non-show wood furniture.
- 3 **Definition**
Worksite policies and procedures refer to documented policies and to documented or other directions provided to staff. These may include, but are not limited to, ways of managing health and safety, environmental considerations, quality, and production, and must conform to legislation. Examples include standard operating procedures, company health and safety plans, on-site briefings, and supervisor's instructions.

Elements and performance criteria

Element 1

Prepare to remove fabric coverings from upholstered lounge chairs.

Performance criteria

1.1 Job specifications are obtained and explained in accordance with worksite policies and procedures.

Range quantity, frame.

1.2 Tools are selected in accordance with job specifications.

Range scissors, craft knife, staple remover, hammer, side cutters.

Element 2

Remove fabric coverings from upholstered lounge chairs.

Performance criteria

2.1 Castors, legs, or glides are removed from lounge chairs in accordance with worksite policies and procedures.

2.2 Dust cover is unpicked and removed in accordance with worksite policies and procedures.

2.3 Covers are removed in reverse sequence to the order in which they were attached and in accordance with worksite policies and procedures.

Range no protruding staples or tacks, covers kept whole, covers labelled, padding and webbing checked for damage and repaired or replaced.

2.4 Any damage to frame is reported or repaired in accordance with worksite policies and procedures.

2.5 Work area is left clean, clear, and safe in accordance with worksite policies and procedures.

Please note

Providers must be accredited by NZQA, or an inter-institutional body with delegated authority for quality assurance, before they can report credits from assessment against unit standards or deliver courses of study leading to that assessment.

Industry Training Organisations must be accredited by NZQA before they can register credits from assessment against unit standards.

Accredited providers and Industry Training Organisations assessing against unit standards must engage with the moderation system that applies to those standards.

Accreditation requirements and an outline of the moderation system that applies to this standard are outlined in the Accreditation and Moderation Action Plan (AMAP). The AMAP also includes useful information about special requirements for organisations wishing to develop education and training programmes, such as minimum qualifications for tutors and assessors, and special resource requirements.

Comments on this unit standard

Please contact the Competenz at info@competenz.org.nz if you wish to suggest changes to the content of this unit standard.