

<b>Title</b>	<b>Develop and assess the viability of a floor plan for a casino gaming layout for a small casino</b>		
<b>Level</b>	<b>5</b>	<b>Credits</b>	<b>5</b>

<b>Purpose</b>	People credited with this unit standard are able to: determine requirements for the casino gaming floor layout; develop a casino gaming floor configuration; and assess the viability of the floor plan for a casino gaming layout.
----------------	---

<b>Classification</b>	Tourism > Casino Gaming
-----------------------	-------------------------

<b>Available grade</b>	Achieved
------------------------	----------

---

### Guidance Information

- 1 The Gambling Act 2003 is the main piece of legislation relevant to this unit standard together with any associated legislation and/or regulations, including but not limited to the Health and Safety at Work Act 2015, Human Rights Act 1993, Occupational Safety and Health Policy, Privacy Act 2020, and their subsequent amendments.
- 2 For assessment purposes, an assessment should be for a small casino of up to 30 gaming tables, and 300 gaming machines.
- 3 *Gaming machines* are also known as slots.

---

### Outcomes and performance criteria

#### Outcome 1

Determine requirements for the casino gaming floor layout.

#### Performance criteria

- 1.1 The requirements for the casino gaming floor layout are determined in accordance with surveillance and security systems.
 

Range	requirements may include but are not limited to – placement of cameras and other monitoring technology; removal of money, access for fills and credits.
-------	---

- 1.2 The requirements for the casino gaming floor layout are determined in accordance with health and safety regulations.
- Range may include but are not limited to selected sections from – Health and Safety at Work Act 2015, Human Rights Act 1993, Occupational Safety and Health Policy, Privacy Act 2020, Gambling Act 2003, and any relevant regulations; requirements may include but are not limited to – access for people for whom mobility is difficult; emergency egress and access; patron safety, staff safety.
- 1.3 The requirements for the casino gaming floor layout are determined in accordance with patronage and provision of services.
- Range services may include but are not limited to – staffing levels, shift changes, cleaners, aesthetic appeal to patrons, food and beverage.
- 1.4 Analysis determines the requirements for the casino gaming floor layout in accordance with the planned mix of tables, and gaming machines or slots.
- 1.5 Analysis determines the requirements for the casino gaming floor layout in accordance with the equipment.
- Range equipment may include but is not limited to – tables, chairs, stools, machines.

## Outcome 2

Develop a casino gaming floor configuration.

### Performance criteria

- 2.1 The casino gaming floor configuration is developed in accordance with surveillance and security systems.
- 2.2 The casino gaming floor configuration is developed in accordance with health and safety regulations.
- 2.3 The casino gaming floor configuration is developed in accordance with patronage and provision of services.
- 2.4 The casino gaming floor configuration is developed in accordance with the planned mix of tables, and gaming machines or slots.
- 2.5 The casino gaming floor configuration developed is in accordance with the equipment used in the casino and is in accordance with the Gambling Act 2003.

## Outcome 3

Assess the viability of the floor plan for a casino gaming layout.

**Performance criteria**

- 3.1 The casino gaming floor configuration is confirmed as being viable in accordance with surveillance and security systems.
- 3.2 The casino gaming floor configuration is confirmed as being viable in accordance with health and safety regulations.
- 3.3 The casino gaming floor configuration is confirmed as being viable in accordance with patronage and provision of services.
- 3.4 The casino gaming floor configuration is confirmed as being viable in accordance with the planned mix of tables, and gaming machines or slots.
- 3.5 The casino gaming floor configuration of a casino is confirmed as being viable in accordance with the equipment used in the casino.

<b>Planned review date</b>	31 December 2023
----------------------------	------------------

**Status information and last date for assessment for superseded versions**

Process	Version	Date	Last Date for Assessment
Registration	1	25 July 1999	N/A
Revision	2	24 February 2003	N/A
Review	3	23 January 2009	N/A
Revision and Rollover	4	1 November 2018	N/A
Revision and Rollover	5	29 July 2021	N/A

<b>Consent and Moderation Requirements (CMR) reference</b>	0112
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

**Comments on this unit standard**

Please contact ServicelQ [qualifications@serviceiq.org.nz](mailto:qualifications@serviceiq.org.nz) if you wish to suggest changes to the content of this unit standard.