

<b>Title</b>	<b>Dry slipe wool</b>		
<b>Level</b>	<b>3</b>	<b>Credits</b>	<b>5</b>

<b>Purpose</b>	<p>This entry-level unit standard is for people who are employed in the fellmongery or leather industries and whose job is to load and dry wool using wool drying machinery.</p> <p>People credited with this unit standard are able to dry slipe wool.</p>
----------------	---

<b>Classification</b>	Fellmongery and Leather Processing > Fellmongery Processing Skills
-----------------------	--

<b>Available grade</b>	Achieved
------------------------	----------

### Guidance Information

- 1 Legislation relevant to this unit standard includes but is not limited to – Hazardous Substances and New Organisms Act 1996, Health and Safety in Employment Act 1992, Resource Management Act 1991.
- 2 Definitions
  - Company specifications* – product specifications set by the company relating to materials, processes and practices.
  - Customer specifications* – product specifications set by the customer relating to materials, processes and practices.
  - Organisational requirements* – instructions to staff on policies and procedures which are documented in memo, electronic or manual format and are available in the workplace.

### Outcomes and performance criteria

#### Outcome 1

Dry slipe wool.

#### Performance criteria

- 1.1 Wool drying machinery is started up, loaded, unloaded, monitored, and shutdown in accordance with organisational and manufacturer's requirements.
- 1.2 Dryer temperatures and operational speeds meet company specifications for each grade of wool processed.

- 1.3 Wool grades are processed in accordance with company specifications and organisational requirements.
- 1.4 Grades of wool are kept separate before, during, and after drying in accordance with organisational requirements.
- 1.5 The drying process is organised to minimise dryer set-up changes between different grades of wool in accordance with organisational requirements.
- 1.6 Checks and tests of wool moisture content are conducted in accordance with organisational requirements, and process adjustments made when necessary.
- 1.7 The moisture content of dried wool meets company and customer specifications.
- 1.8 Dried wool is transferred for recording, weighing, conditioning and pressing in accordance with organisational requirements.
- 1.9 Communication is maintained with wool room operators on the grades of wool being dispatched from dryers in accordance with organisational requirements.
- 1.10 Chemicals are stored, handled and used in accordance with organisational and statutory requirements.
- 1.11 Effluent is disposed of in accordance with organisational and statutory requirements.
- 1.12 Records of dryer settings and moisture content tests are maintained for each grade of wool in accordance with organisational requirements.

**This unit standard is expiring. Assessment against the standard must take place by the last date for assessment set out below.**

#### Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	30 August 1999	31 December 2014
Revision	2	19 July 2001	31 December 2014
Review	3	24 November 2005	31 December 2014
Review	4	19 June 2009	31 December 2015
Review	5	21 February 2013	31 December 2017
Review	6	20 March 2014	31 December 2017
Review	7	19 February 2015	31 December 2023
Review	8	30 September 2021	31 December 2023

<b>Consent and Moderation Requirements (CMR) reference</b>	0033
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

This unit standard is expiring