Title	Repair or overhaul aircraf	t missile launc	hing system components
Level	4	Credits	15

Purpose	People credited with this unit standard are able to: prepare to repair or overhaul aircraft missile launching system components; repair or overhaul aircraft missile launching system components; and complete tasks related to the repair or overhaul of aircraft missile launching system components.
---------	---

Classification	Aeronautical Engineering > Aeronautical Armament
----------------	--

Available grade Ad	Achieved
--------------------	----------

Guidance Information

1 All tasks must be carried out in accordance with enterprise procedures.

2 Definition

Enterprise procedures – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.

Outcomes and performance criteria

Outcome 1

Prepare to repair or overhaul aircraft missile launching system components.

Performance criteria

- 1.1 Task is determined by reviewing maintenance documentation and manuals.
- 1.2 Component serial and part numbers are matched with documentation.
- 1.3 Resources are obtained and checked for serviceability or status.

Range may include but is not limited to – manuals, materials, tools, equipment, safety equipment, work area selected for task,

prepared and cleaned.

NZQA unit standard 17666 version 5
Page 2 of 3

1.4 Component defects are located prior to disassembly.

Range any explosives removed, inspected, troubleshooting carried out,

tested, economics of carrying out repair or overhaul assessed.

Outcome 2

Repair or overhaul aircraft missile launching system components.

Performance criteria

2.1 Components are disassembled.

Range disassembled, cleaned, inspected, labelled, preserved, segregated.

- 2.2 Defects found during disassembly are reported and/or recorded.
- 2.3 Rectification action is determined, confirmed, and recorded.

Range repair, overhaul, replace, modify, adjust, scrap.

2.4 Replacement parts are procured and verified as authentic and serviceable.

Range identify, inspect.

- 2.5 System component defects are rectified.
- 2.6 Components are assembled.
- 2.7 Components are functionally tested and adjusted.

Range adjustments and/or performance recorded.

2.8 Supervisory inspections are obtained.

Outcome 3

Complete tasks related to the repair or overhaul of aircraft missile launching system components.

Performance criteria

3.1 Components are prepared.

Range may include but is not limited to – use, storage, transit, locked, inhibited, blanked, packed.

3.2 Resources are checked for serviceability and returned to service or storage.

Range may include but is not limited to – manuals, tools, equipment, safety equipment.

3.3 Leftover parts and materials are disposed of.

Range may include but is not limited to – serviceable, unserviceable,

surplus, waste, scrap, hazardous.

3.4 Documentation is completed.

Range may include but is not limited to – labels, work orders, logbooks,

shelf-life requirements recorded, certification obtained.

3.5 Work area is left in a clean and tidy state.

Planned review date 31 December 2027	
--------------------------------------	--

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	19 October 2000	31 December 2016
Review	2	26 March 2007	31 December 2016
Review	3	24 October 2014	31 December 2022
Review	4	27 August 2020	N/A
Rollover and Revision	5	27 June 2024	N/A

nents (CMR) reference 0028	Consent and Moderation Requirements (CMR) reference
----------------------------	---

This CMR can be accessed at http://www.nzqa.govt.nz/framework/search/index.do.

Comments on this unit standard

Please contact Ringa Hora Services Workforce Development Council qualifications@ringahora.nz if you wish to suggest changes to the content of this unit standard.