Title	Operate a mower for rural contracting				
Level	4		Credits	15	
Purpose	prepare mowing preparation; ope		equipment and rate a mower to	andard are able to: select and machinery; carry out field mow crops and roadside perational procedures.	
Classification		Rural Contracting > Agricultural Contracting			
Available grade		Achieved			

Guidance Information

Pre-requisites

- Evidence presented for assessment against this unit standard must be consistent with safe working practices and be in accordance with relevant legislative and industry requirements.
- 2 Legislation and references relevant to this unit standard include:
 - Health and Safety at Work Act 2015, available from www.legislation.govt.nz;

appropriate for the vehicle being driven.

Class of driver licence and any driver licence endorsement

- Land Transport Rule Heavy Vehicles 2004, available from www.nzta.govt.nz;
- and all subsequent amendments and replacements.

3 Definitions

Industry requirements refer to relevant policies, processes, methodologies, industry codes of practice, site specific health and safety plans, standard operating procedures, site safety plans, quality plans, work plans, traffic management plans, contract work programmes, job safety analysis, safe work method statements, job instructions, manufacturer's requirements, contract specifications, manuals, procedural documents.

Mower refers to disc mower, mulching mower, reciprocating mower, windrower, drum mower or self-propelled mower.

Outcomes and performance criteria

Outcome 1

Select and prepare mowing equipment and machinery.

Performance criteria

1.1 Equipment and machinery appropriate for the work are selected.

Range mower(s) type, tractor capacity; may include but is not limited to – tractor wheels, mower width.

- 1.2 Equipment and machinery are checked for condition, damage, wear, and faults; problems are identified; and corrective action is taken.
- 1.3 Checks are made, and any necessary actions are taken, or adjustments made to ensure the tractor complies with field conditions, and with legal requirements for operator health and safety.
- 1.4 Adjustments are made to ensure the tractor complies with field conditions and with legal requirements for operator health and safety.

Outcome 2

Carry out field preparation.

Performance criteria

- 2.1 Hazards are identified and controlled.
- 2.2 Contours, ground conditions, and line of sight to any ground obstacles are considered in the planned mowing pattern, and empty running and unmown areas are minimised.

Outcome 3

Operate a mower to mow crops and roadside vegetation.

Performance criteria

- 3.1 Mower is operated in a safe, smooth, and stable manner with no risk of harm to people or animals, or damage to tractor, other equipment, surfaces, or property structures.
- 3.2 Consistent cut is maintained at optimum work rate, and predetermined mowing pattern is followed in accordance with job specifications.

Range includes sharpening or replacement of flails and/or blades as required.

3.3 The mown result complies with client requirements.

Outcome 4

Carry out post-operational procedures.

Performance criteria

- 4.1 Shut-down procedures are carried out.
- 4.2 Any damage or faults including any missing, bent, broken, or loose parts are identified and are repaired, replaced, or reported.
- 4.3 Mower is stored.
- 4.4 Documentation for the operation is completed and stored in accordance with client requirements.

Planned review date	31 December 2026

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment		
Registration	1	31 October 2002	31 December 2016		
Review	2	25 June 2007	31 December 2016		
Review	3	16 July 2015	31 December 2023		
Review	4	26 August 2021	N/A		

Consent and Moderation Requirements (CMR) reference	0101
---	------

This CMR can be accessed at http://www.nzqa.govt.nz/framework/search/index.do.

Comments on this unit standard

Please contact Connexis - Infrastructure Industry Training Organisation qualifications@connexis.org.nz if you wish to suggest changes to the content of this unit standard.