

| | | | |
|--------------|---|----------------|----------|
| Title | Remove and replace a bolted-on motor body panel in the automotive industry | | |
| Level | 3 | Credits | 3 |

| | |
|----------------|---|
| Purpose | People credited with this unit standard are able to remove and replace a bolted-on motor body panel in the automotive industry. |
|----------------|---|

| | |
|-----------------------|-----------------------------------|
| Classification | Motor Industry > Vehicle Bodywork |
|-----------------------|-----------------------------------|

| | |
|------------------------|----------|
| Available grade | Achieved |
|------------------------|----------|

Guidance Information

- 1 Evidence presented for assessment against this unit standard must be consistent with safe working practices and be in accordance with applicable manufacturers specifications, service information, company requirements and legislative requirements. This includes the knowledge and use of suitable tools and equipment.
- 2 Legislation, regulations and/or industry standards relevant to this unit standard include but are not limited to the current version of the Health and Safety at Work Act 2015; and any subsequent amendments and replacements.
- 3 Definitions
Company requirements refer to instructions to staff on policy and procedures that are available in the workplace. These requirements may include – company policies and procedures, work instructions, product quality specifications and legislative requirements.
Service information may include – technical information for a vehicle, machine, or product detailing operation; installation and servicing procedures; manufacturer instructions; technical terms and descriptions; and detailed illustrations.
- 4 Range
 Bolted-on motor body panel may include – bonnet, doors, guards or bumpers.
- 5 It is recommended that people seeking credit for this unit standard first hold credit for Unit 29709, *Describe bolted-on motor body panels and motor vehicle bumpers* or equivalent knowledge and skills before proceeding with this standard.

Outcomes and performance criteria

Outcome 1

Remove and replace a bolted-on motor body panel in the automotive industry.

Performance criteria

1.1 Bolted-on motor body panel is removed.

1.2 Bolted-on motor body panel is replaced.

Range may include – attachment area surface preparation, application of corrosion protection, alignment of replacement panel, operation of attached parts.

| | |
|--------------------------------|---|
| Replacement information | This unit standard and unit standard 21704 replaced unit standard 3862. |
|--------------------------------|---|

| | |
|----------------------------|------------------|
| Planned review date | 31 December 2025 |
|----------------------------|------------------|

Status information and last date for assessment for superseded versions

| Process | Version | Date | Last Date for Assessment |
|--------------|---------|------------------|--------------------------|
| Registration | 1 | 27 July 2005 | 31 December 2018 |
| Review | 2 | 21 April 2016 | 31 December 2023 |
| Revision | 3 | 17 November 2016 | 31 December 2023 |
| Review | 4 | 10 December 2020 | N/A |

| | |
|--|------|
| Consent and Moderation Requirements (CMR) reference | 0014 |
|--|------|

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

Comments on this unit standard

Please contact MITO New Zealand Incorporated info@mito.org.nz if you wish to suggest changes to the content of this unit standard.