

Title	Repair or recondition aircraft electrical rotating machines		
Level	4	Credits	20

Purpose	People credited with this unit standard are able to: prepare to repair or recondition aircraft electrical rotating machines; locate defects in aircraft electrical rotating machines; repair or recondition aircraft electrical rotating machine components; test and adjust aircraft electrical rotating machine components; and complete the repair or recondition task.
----------------	--

Classification	Aeronautical Engineering > Avionic Electrical Repair
-----------------------	--

Available grade	Achieved
------------------------	----------

Guidance Information

- 1 All tasks must be carried out in accordance with enterprise procedures.
- 2 Definition
Enterprise procedures – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.
- 3 The repair or recondition activities referred to in this unit standard are those usually carried out in a specialist bay or workshop on components that have been removed from the aircraft.
- 4 Rotating machines may include AC and DC motors, generators, alternators, actuators, inverters.

Outcomes and performance criteria

Outcome 1

Prepare to repair or recondition aircraft electrical rotating machines.

Performance criteria

- 1.1 Task is determined by reviewing maintenance documentation and enterprise procedures.

Range confirm fault, repair, recondition, modify.

- 1.2 Work area is prepared, and resources are obtained and checked for serviceability or status.
- Range may include but is not limited to – publications, materials, tools, equipment, safety equipment, environmental conditions established.
- 1.3 Component identity is matched with documentation.
- 1.4 Component is prepared for repair or recondition.
- Range clean, inspect, assess economics of carrying out repair or recondition.
- 1.5 Next task is determined and documented.
- Range locate defects, repair, recondition, test, adjust, complete the task.

Outcome 2

Locate defects in aircraft electrical rotating machines.

Performance criteria

- 2.1 Defects are located using troubleshooting techniques and inspection procedures appropriate to the defect indications.
- 2.2 Any defects are reported and documented.

Outcome 3

Repair or recondition aircraft electrical rotating machine components.

Performance criteria

- 3.1 Component is disassembled.
- Range clean, label, preserve, segregate, store.
- 3.2 Rectification action is determined and documented.
- 3.3 Parts are procured and verified as authentic and serviceable.
- Range identify, inspect.
- 3.4 Defects are rectified.
- Range may include but is not limited to – repair, replace, modify, adjust.
- 3.5 Component is assembled.

3.6 Inspections are obtained.

Range independent, duplicate, progressive.

Outcome 4

Test and adjust aircraft electrical rotating machine components.

Performance criteria

4.1 Component is prepared for testing.

4.2 Component is tested and adjusted.

Range troubleshoot, functionally test, calibrate, adjust, document adjustments and performance.

4.3 Inspections are obtained.

Range independent, duplicate, progressive.

Outcome 5

Complete the repair or recondition task.

Performance criteria

5.1 Component is prepared.

Range may include but is not limited to – use, storage, transit, locking, inhibiting, blanking, packing, shelf-life requirement.

5.2 Resources are checked for serviceability and returned to service or storage.

Range may include but is not limited to – tools, equipment, safety equipment, publications.

5.3 Leftover parts and materials are disposed of.

Range may include but is not limited to – serviceable, unserviceable, surplus, waste, scrap, hazardous.

5.4 Documentation is completed.

Range may include but is not limited to – labels, work cards, release notes, logbooks, certification.

5.5 Work area is left in a state that enables the next task to begin.

Replacement information	This unit standard replaced unit standard 4000.
--------------------------------	---

Planned review date	31 December 2027
----------------------------	------------------

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	19 May 2006	31 December 2016
Revision	2	21 September 2007	31 December 2016
Review	3	24 October 2014	31 December 2021
Review	4	26 March 2020	N/A
Rollover and Revision	5	27 June 2024	N/A

Consent and Moderation Requirements (CMR) reference	0028
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

Comments on this unit standard

Please contact Ringa Hora Services Workforce Development Council qualifications@ringahora.nz if you wish to suggest changes to the content of this unit standard.