

| | | | |
|--------------|---|----------------|----------|
| Title | Detail a production trailer boat | | |
| Level | 3 | Credits | 3 |

| | |
|----------------|--|
| Purpose | People credited with this unit standard are, for production trailer boats, able to: groom and apply signs and graphics; and identify and repair minor defects and imperfections. |
|----------------|--|

| | |
|-----------------------|-----------------------------------|
| Classification | Boating Industries > Boatbuilding |
|-----------------------|-----------------------------------|

| | |
|------------------------|----------|
| Available grade | Achieved |
|------------------------|----------|

Guidance Information

- 1 All required equipment must be set up, started up, operated, and shutdown in accordance with workplace policies and procedures.
- 2 All work practices must meet recognised codes of practice and documented worksite health and safety procedures (where these exceed code) for personal, product, and worksite health and safety, and must meet the obligations required under the Health and Safety at Work Act 2015 and Resource Management Act 1991, and any subsequent amendments.
- 3 This unit standard applies to composite or alloy boats.
- 4 **Definition**
Workplace policies and procedures refers to the documented procedures and policies providing guidelines of the tasks and activities carried out in the workplace. This typically includes relevant health and safety requirements to eliminate hazard/risk in the workplace.

Outcomes and performance criteria

Outcome 1

Groom a production trailer boat.

Performance criteria

- 1.1 Exterior of vessel is groomed in accordance with workplace policies and procedures.

Range polish, mark removal, join details, window cleaning.

- 1.2 Interior of vessel is groomed in accordance with workplace policies and procedures.

Range vacuum, mark removal, detail cleaning, polish, windows.

Outcome 2

Apply signs and graphics to a production trailer boat.

Performance criteria

- 2.1 Signage is selected and attached in accordance with workplace policies and procedures.

Range may include but is not limited to – builder’s plaque, regulatory plates, hull ID.

- 2.2 Graphics are selected for the boat model in accordance with workplace policies and procedures.

- 2.3 Graphics are applied in accordance with workplace policies and procedures.

Range location, alignment, quality application.

Outcome 3

Identify and repair minor defects and imperfections on production trailer boat.

Performance criteria

- 3.1 Minor defects and imperfections are identified and repaired in accordance with workplace policies and procedures.

Range may include but is not limited to – pull marks, nicks, scratches, small gelcoat repairs, grind marks, removal of welding tacks, de-greasing, removal of sharp edges, removal of welding splatter. evidence of three repairs is required.

| | |
|----------------------------|------------------|
| Planned review date | 31 December 2022 |
|----------------------------|------------------|

Status information and last date for assessment for superseded versions

| Process | Version | Date | Last Date for Assessment |
|--------------|---------|------------------|--------------------------|
| Registration | 1 | 27 October 2006 | 31 December 2019 |
| Review | 2 | 23 November 2017 | N/A |

| | |
|--|------|
| Consent and Moderation Requirements (CMR) reference | 0136 |
|--|------|

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

Comments on this unit standard

Please contact the NZ Marine and Composites Industry Training Organisation training@nzmarine.com if you wish to suggest changes to the content of this unit standard.