Title	Mask an area for two pack painting in the automotive refinishing industry		
Level	4	Credits	4

People credited with this unit standard are able to prepare and mask an area for two pack painting in the automotive refinishing industry.

Classification	Motor Industry > Automotive Refinishing
----------------	---

Available grade	Achieved	
-----------------	----------	--

### **Guidance Information**

- 1 Legislation and references Performance of the outcome of this unit standard must comply with the following: Health and Safety at Work Act 2015.
- Any new, amended or replacement Acts, regulations, standards, codes of practice, guidelines, or authority requirements or conditions affecting this unit standard will take precedence for assessment purposes, pending review of this unit standard.
- 3 Definitions

Company requirements refer to instructions to staff on policy and procedures that are available in the workplace. These requirements may include – company policies and procedures, work instructions, product quality specifications and legislative requirements.

Service information may include – technical information for a vehicle, machine, or product detailing operation; installation and servicing procedures; manufacturer instructions; technical terms and descriptions; and detailed illustrations.

### 4 Assessment

Evidence presented for assessment against this unit standard must be consistent with safe working practices and be in accordance with applicable manufacturers specifications, service information, company requirements and legislative requirements.

Recommended skills and knowledge
It is recommended that people seeking credit for this unit standard should first hold
credit for Unit 24001, Demonstrate knowledge of masking an area for two pack
painting in the automotive refinishing industry, or demonstrate equivalent knowledge
and skills.

# **Outcomes and performance criteria**

#### **Outcome 1**

Prepare to mask an area for two pack painting in the automotive refinishing industry.

### Performance criteria

1.1 Area to be masked is checked to be free from contamination.

### Outcome 2

Mask an area for two pack painting in the automotive refinishing industry.

#### Performance criteria

- 2.1 Area to be masked is identified, and masking is carried out.
- 2.2 Masking is carried out to ensure no paint or overspray comes into contact with any part of the vehicle that is not being painted.
  - Range glass, other panels, interior and exterior fittings and trim, wheels and arches.
- 2.3 Preventing dust from masking adhering to freshly applied paintwork is described.

Replacement information	This unit standard and unit standard 24001 replaced unit standard 5706.
-------------------------	---

Planned review date	31 December 2027
---------------------	------------------

# Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	26 November 2007	31 December 2018
Review	2	21 April 2016	31 December 2023
Review	3	10 December 2020	31 December 2027
Review	4	25 May 2023	N/A

onsent and Moderation Requirements (CMR) reference	0014
--	------

This CMR can be accessed at http://www.nzga.govt.nz/framework/search/index.do.

NZQA unit standard 24002 version 4 Page 3 of 3

## Comments on this unit standard

Please contact Hanga-Aro-Rau Manufacturing, Engineering and Logistics Workforce Development Council <u>qualifications@hangaarorau.nz</u> if you wish to suggest changes to the content of this unit standard.