

Title	Fabricate yacht rigging		
Level	4	Credits	10

Purpose	People credited with this unit standard are able to: confirm specification for rigging fabrication; prepare for fabrication of rigging; and fabricate rigging.
----------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------

Classification	Boating Industries > Boatbuilding
-----------------------	-----------------------------------

Available grade	Achieved
------------------------	----------

Guidance Information

- 1 All required equipment must be set up, started up, operated, and shut down in accordance with workplace policies and procedures.
- 2 All work practices must meet recognised codes of practice and documented workplace policies and procedures for personal, product, and worksite health and safety, and must meet the obligations required under the Health and Safety at Work Act 2015, Resource Management Act 1991, and any subsequent amendments.
- 3 **Definitions**
Fabrication refers to cutting and terminating wire, rope or aramid rigging types. May include talurit, swage, splice or a proprietary system.
Job specifications refers to the standard requirements of the job being undertaken.
Workplace policies and procedures refers to the documented procedures and policies providing guidelines of the tasks and activities carried out in the workplace. This typically includes relevant health and safety policies to manage risk in the workplace.
- 4 This unit standard may apply to wire, rod, aramid, and rope rigging. Evidence is required for running and standing rigging.

Outcomes and performance criteria

Outcome 1

Confirm specification for rigging fabrication.

Performance criteria

- 1.1 Rigging type is confirmed and selected in accordance with job specifications.
- 1.2 Rigging dimensions are confirmed in accordance with job specifications.

1.3 Termination types are confirmed in accordance with job specifications.

Outcome 2

Prepare for fabrication of rigging.

Performance criteria

- 2.1 Fabrication equipment is confirmed as being in working order in accordance with workplace policies and procedures.
- 2.2 Safety equipment is complete, in working order, matches the requirements of the task, and is used in accordance with job specifications.
- 2.3 Rigging is prepared in accordance with manufacturer's specifications and workplace policies and procedures.

Outcome 3

Fabricate rigging.

Performance criteria

- 3.1 Rigging is fabricated in accordance with manufacturer's specifications and workplace policies and procedures.
- 3.2 Safety equipment is used in accordance with workplace policies and procedures.

Replacement information	This unit standard, unit standard 25119, unit standard 25121, unit standard 25122, and unit standard 25123 replaced unit standard 9951 and unit standard 9952.
--------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------

Planned review date	31 December 2024
----------------------------	------------------

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	21 November 2008	N/A
Rollover and Revision	2	25 July 2019	N/A

Consent and Moderation Requirements (CMR) reference	0136
------------------------------------------------------------	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

Comments on this unit standard

Please contact the NZ Marine and Composites ITO training@nzmarine.com if you wish to suggest changes to the content of this unit standard.