

Fit non-sewn upholstery covers to chair frames

Level 2

Credits 6

Purpose People credited with this unit standard are able to prepare to fit, and fit, non-sewn upholstery covers to chair frames.

Subfield Furniture

Domain Upholstery

Status Registered

Status date 19 June 2009

Date version published 19 June 2009

Planned review date 31 December 2014

Entry information Open.

Replacement information This unit standard and unit standard 25580 replaced unit standard 14358.

Accreditation Evaluation of documentation by NZQA and industry.

Standard setting body (SSB) Competenz

Accreditation and Moderation Action Plan (AMAP) reference 0173

This AMAP can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

Special notes

- 1 This unit standard must be assessed against on-job.
- 2 Competence may be demonstrated using any upholstery fabric including leather; competence must be demonstrated fitting either chair seat covers or chair back covers; competence must also be demonstrated without the aid of glue.

3 Definition

Worksite policies and procedures refer to documented policies and to documented or other directions provided to staff. These may include, but are not limited to, ways of managing health and safety, environmental considerations, quality, and production, and must conform to legislation. Examples include standard operating procedures, company health and safety plans, on-site briefings, and supervisor's instructions.

Elements and performance criteria

Element 1

Prepare to fit non-sewn upholstery covers to chair frames.

Performance criteria

1.1 Job specifications are obtained and explained in accordance with worksite policies and procedures.

Range quantity, frame, fabric type, dust cover.

1.2 Tools are selected in accordance with job specifications.

Range staple gun, scissors, craft knife, staple remover, hammer.

1.3 Covers and frames are selected in accordance with job specifications. Dimensions of fabric pieces meet job specifications.

1.4 Pre-padded frame is checked for defects in padding and any defects are rectified in accordance with worksite policies and procedures.

Element 2

Fit non-sewn upholstery covers to chair frames.

Performance criteria

2.1 Covers and frames are marked in centres, and top marks are confirmed to be in accordance with job specifications.

2.2 Equipment for the job is used in accordance with worksite policies and procedures.

2.3 Covers are fitted in accordance with worksite policies and procedures and covers conform to job specifications.

Range smooth finish, no twists in fabric, tops in correct position, no puckering on corners or edges, surplus fabric removed.

2.4 Dust cover is attached in accordance with job specifications.

Range no twists, tight, staples on edge of dust cover, dust cover hidden from view.

- 2.5 Work area is left clear, clean, and safe in accordance with worksite policies and procedures.

Please note

Providers must be accredited by NZQA, or an inter-institutional body with delegated authority for quality assurance, before they can report credits from assessment against unit standards or deliver courses of study leading to that assessment.

Industry Training Organisations must be accredited by NZQA before they can register credits from assessment against unit standards.

Accredited providers and Industry Training Organisations assessing against unit standards must engage with the moderation system that applies to those standards.

Accreditation requirements and an outline of the moderation system that applies to this standard are outlined in the Accreditation and Moderation Action Plan (AMAP). The AMAP also includes useful information about special requirements for organisations wishing to develop education and training programmes, such as minimum qualifications for tutors and assessors, and special resource requirements.

Comments on this unit standard

Please contact the Competenz info@competenz.org.nz if you wish to suggest changes to the content of this unit standard.