

Title	Fit non-sewn, shaped upholstery covers		
Level	3	Credits	6

Purpose	People credited with this unit standard are able to prepare to fit, and fit, non-sewn, shaped upholstery covers.
----------------	--

Classification	Furniture > Upholstery
-----------------------	------------------------

Available grade	Achieved
------------------------	----------

Guidance Information

- 1 Assessment information
This unit standard must be assessed against on-job.
All activities and performance criteria must be carried out in accordance with worksite policies and procedures.
- 2 Competence must be demonstrated using non-sewn, shaped upholstery covers made of any upholstery fabric, including leather;
competence must be demonstrated by fitting non-sewn, shaped upholstery covers to one of the following - chair seat, lounge chair, settee, mattress, marine bench, chair or squab or automotive seat or panel.
- 3 Definition
Worksite policies and procedures refer to documented policies and to documented or other directions provided to staff. These may include, but are not limited to, ways of managing health and safety, environmental considerations, quality, and production, and must conform to legislation. Examples include standard operating procedures, company health and safety plans, on-site briefings, and supervisor's instructions.

Outcomes and performance criteria

Outcome 1

Prepare to fit non-sewn, shaped upholstery covers.

Performance criteria

- 1.1 Job specifications are obtained and interpreted.
Range quantity, frame, fabric type, hardware, dust cover.

- 1.2 Tools are selected in accordance with job specifications.
 Range includes but is not limited to – staple gun, scissors, hammer, regulator needle, staple remover, side cutters, back tack strips, measuring tool.
- 1.3 Covers and frames are selected in accordance with job specifications.
- 1.4 Dimensions of fabric pieces are checked to meet job specifications.
- 1.5 Pre-padded frame is checked for defects in padding and any defects are rectified.

Outcome 2

Fit non-sewn, shaped upholstery covers.

Performance criteria

- 2.1 Covers and frames are marked in centres, and top marks confirmed to be in accordance with job specifications.
- 2.2 Tools for the job are used.
 Range includes but is not limited to – staple gun, scissors, hammer, regulator needle, staple remover, side cutters, back tack strips, measuring tool.
- 2.3 Covers are fitted conform to job specifications.
 Range smooth finish, no twists in fabric, no puckering on corners or edges, inside corners trimmed where necessary to ensure no bulk in corners, corners sit square, cover seams line up with frame, seam salvage laid one way, no loose threads, cover evenly tensioned.
- 2.4 Dust cover is attached in accordance with job specifications.
 Range no twists, tight, staples on edge of dust cover, dust cover hidden from view.
- 2.5 Work area is left clear, clean, and safe.

Replacement information	This unit standard replaced unit standard 14360.
--------------------------------	--

Planned review date	31 December 2024
----------------------------	------------------

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	19 June 2009	31 December 2018
Review	2	19 March 2015	N/A
Review	3	26 November 2020	N/A

Consent and Moderation Requirements (CMR) reference

0173

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

Comments on this unit standard

Please contact Competenz qualifications@competenz.org.nz if you wish to suggest changes to the content of this unit standard.