

<b>Title</b>	<b>Apply advanced decorative forms to signs manually</b>		
<b>Level</b>	<b>4</b>	<b>Credits</b>	<b>20</b>

<b>Purpose</b>	<p>This unit standard is for experienced people working in the signmaking industry.</p> <p>People credited with this unit standard are able to: plan and prepare to apply advanced decorative forms to signs; layout sign; apply advanced decorative forms to signs; and clean equipment and work area.</p>
----------------	---

<b>Classification</b>	Printing > Signmaking
-----------------------	-----------------------

<b>Available grade</b>	Achieved
------------------------	----------

### Guidance Information

- 1 Legislation and references  
Health and Safety in Employment Act 1992  
Resource Management Act 1991.
- 2 Definitions  
*Company requirements* refer to any documented policies and procedures of the company involved.  
*Client* may refer to business owners, printers, property owners, sign manufacturers, statutory bodies.  
*Tools, equipment and materials* may refer to – cotton wool or velvet, gelatine, gilder’s pad, gilding knife, gilding mug, gilding tip, heating pots, stove, adhesives, blackboard paint, crayons, felt tip pens, fixitives, pastels, transfer paper, acrylic paint, enamel paint, water-based paint, artist’s brushes, charcoal, easel, mediums, sketch pad.  
*Substrates* may refer to – corflute, glass surfaces, metals, card, chalkboard surfaces, paper, tyvek, timber, canvas.  
*Advanced decorative forms* may refer to hand-rendered pictorials, lines and scrolls, gilding, showcards and chalkboards.
- 3 Range  
A minimum of two different signs using two different decorative forms is required.

### Outcomes and performance criteria

#### Outcome 1

Plan and prepare to apply advanced decorative forms to signs.

**Performance criteria**

- 1.1 Work area is prepared for signwriting in accordance with company and legislative requirements.
- 1.2 Job specifications are identified in accordance with any drawings, job requirements and the client's brief.
- 1.3 Tools, equipment and materials are selected to carry out tasks in accordance with company requirements.
- 1.4 Substrates are identified and prepared to meet the job requirements in accordance with company requirements.

**Outcome 2**

Layout sign.

**Performance criteria**

- 2.1 Layout is set and produced in accordance with job specifications and company requirements.
- 2.2 Drawings and any graphics are transferred to layout in accordance with job specifications and company requirements.

**Outcome 3**

Apply advanced decorative forms to signs.

**Performance criteria**

- 3.1 Decorative forms are produced in accordance with job specifications and company requirements.
- 3.2 Illustrations are reproduced applying proportion and perspective, and texture, light and shade effects to create visual realism in accordance with job specifications and company requirements.
- 3.3 Completed signs are checked to ensure compliance with job specifications.
- 3.4 Completed signs are presented to the client for approval in accordance with company requirements.

**Outcome 4**

Clean equipment and work area.

**Performance criteria**

- 4.1 Equipment is cleaned and stored in accordance with legislative and company requirements.

- 4.2 Work site is cleaned and waste removed in accordance with legislative and company requirements.

<b>Replacement information</b>	This unit standard replaced unit standard 1059, unit standard 1060, and unit standard 9133.
--------------------------------	---

**This unit standard is expiring. Assessment against the standard must take place by the last date for assessment set out below.**

**Status information and last date for assessment for superseded versions**

Process	Version	Date	Last Date for Assessment
Registration	1	19 January 2012	31 December 2016
Review	2	20 April 2017	31 December 2022
Rollover	3	17 August 2017	31 December 2022

<b>Consent and Moderation Requirements (CMR) reference</b>	0005
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

**This unit standard is  
expiring**