| Title | Carry out automotive diagnostic procedures using an oscilloscope | | |
|-------|--|---------|---|
| Level | 4 | Credits | 8 |

| Purpose | People credited with this unit standard are able to carry out automotive diagnostic procedures using an oscilloscope. | |
|-----------------|---|--|
| Classification | Motor Industry > Automotive Electrical and Electronics | |
| | | |
| Available grade | Achieved | |

Guidance Information

- 1 It is recommended that people hold credit for Unit 30881, *Describe automotive scan tools and oscilloscopes* before being assessed against this unit standard.
- 2 Evidence presented for assessment against this unit standard must be consistent with safe working practices and be in accordance with applicable service information, company requirements and legislative requirements. This includes the knowledge and use of suitable tools and equipment.
- 3 Legislation, regulations and/or industry standards relevant to this unit standard include but are not limited to the current version of the Health and Safety at Work Act 2015; and any subsequent amendments and replacements.
- 4 Definitions

Company requirements refers to instructions to staff on policy and procedures that are available in the workplace. These requirements may include – company policies and procedures, work instructions, product quality specifications and legislative requirements.

Service information may include – technical information for a vehicle, machine, or product detailing operation; installation and servicing procedures; manufacturer instructions; technical terms and descriptions; and detailed illustrations.

5 Machines may include – forklifts, earth moving equipment, grader equipment, loaders, dozers, tractors, agricultural equipment, dump trucks, prime movers; electric machines including – forklift, walk-behind pallet, ride-on pallet, reach truck, order picker, counterbalance truck, turret truck.

Outcomes and performance criteria

Outcome 1

Carry out automotive diagnostic procedures using an oscilloscope.

Range evidence of three separate diagnostic procedures is required.

Performance criteria

1.1 Basic oscilloscope settings are adjusted to test the circuit.

Range time, voltage, triggering.

1.2 Oscilloscope data is interpreted.

Range may include – digital waveform, analogue waveform, pulse width modulation (PWM).

| Planned review date | 31 December 2022 |
|---------------------|------------------|
|---------------------|------------------|

Status information and last date for assessment for superseded versions

| Process | Version | Date | Last Date for Assessment | |
|--------------|---------|-----------------|--------------------------|--|
| Registration | 1 | 25 January 2018 | N/A | |

| Consent and Moderation Requirements (CMR) reference | 0014 |
|--|------|
| This CMR can be accessed at http://www.nzqa.govt.nz/framework/search/index.do. | |

Comments on this unit standard

Please contact MITO New Zealand Incorporated <u>info@mito.org.nz</u> if you wish to suggest changes to the content of this unit standard.