Title	Diagnose and rectify faults in vehicle or machine charging and starting systems			
Level	4		Credits	6
Purpose		People credited with this unit standard are able to diagnose and rectify faults in a vehicle or machine charging and starting		

Classification	Motor Industry > Automotive Electrical and Electronics

system.

Available grade	Achieved

Guidance Information

- 1 It is recommended that people hold credit for Unit 30883, *Describe charging and starting system diagnosis* before being assessed against this unit standard.
- 2 Evidence presented for assessment against this unit standard must be consistent with safe working practices and be in accordance with applicable service information, and company requirements and legislative requirements. This includes the knowledge and use of suitable tools and equipment.
- 3 Legislation, regulations and/or industry standards relevant to this unit standard include but are not limited to the current version of the Health and Safety at Work Act 2015; and any subsequent amendments and replacements.

4 Definitions

Company requirements refer to instructions to staff on policy and procedures that are available in the workplace. These requirements may include – company policies and procedures, work instructions, product quality specifications and legislative requirements.

Service information may include – technical information for a vehicle, machine, or product detailing operation; installation and servicing procedures; manufacturer instructions; technical terms and descriptions; and detailed illustrations.

- Machines may include forklifts, earth moving equipment, grader equipment, loaders, dozers, tractors, agricultural equipment, dump trucks, prime movers; electric machines including forklift, walk-behind pallet, ride-on pallet, reach truck, order picker, counterbalance truck, turret truck.
- 6 This unit standard applies to 12 or 24 volt systems.

Outcomes and performance criteria

Outcome 1

Diagnose and rectify faults in a vehicle or machine charging system.

Performance criteria

1.1 The charging system is tested and faults are recorded.

Range current, voltage, voltage drop in live and earth circuits.

1.2 Charging system faults are rectified.

Range may include – repair, replacement.

Outcome 2

Diagnose and rectify faults in a vehicle or machine starting system.

Performance criteria

2.1 The starting system is tested and faults are recorded.

Range current draw, voltage drop in live and earth circuits.

2.2 Starting system faults are rectified.

Range may include – repair, replacement.

Replacement information	This unit standard replaced unit standard 897.
-------------------------	--

Planned review date	31 December 2022
---------------------	------------------

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	25 January 2018	N/A

Consent and Moderation Requirements (CMR) reference	0014
---	------

This CMR can be accessed at http://www.nzga.govt.nz/framework/search/index.do.

NZQA unit standard 30876 version 1 Page 3 of 3

Comments on this unit standard

Please contact MITO New Zealand Incorporated info@mito.org.nz if you wish to suggest changes to the content of this unit standard.