

Title	Demonstrate understanding of, and receive, handle and store, materials used for fibrous plaster manufacture		
Level	4	Credits	8

Purpose	<p>This unit standard aligns with the <i>New Zealand Certificate in Fibrous Plaster Manufacture – Specifications</i>, developed on behalf of the fibrous plaster manufacture industry to specify the skills and knowledge required to achieve the New Zealand Certificate in Fibrous Plaster Manufacture (Level 4) with an optional strand in Specialist Models and Mould Making [Ref: 3062].</p> <p>This unit standard is intended for those working in the fibrous plaster manufacturing industry.</p> <p>People credited with this unit standard are able to demonstrate understanding of, and receive, handle and store, materials used for fibrous plaster manufacture to the level required of a commercially competent fibrous plaster manufacturer.</p>
----------------	---

Classification	Construction Trades > Fibrous Plaster
-----------------------	---------------------------------------

Available grade	Achieved
------------------------	----------

Guidance Information

This unit standard is one of a family of standards that align with the *New Zealand Certificate in Fibrous Plaster Manufacture – Specifications* and should be read, interpreted and assessed in the context of those *Specifications* and the New Zealand Certificate in Fibrous Plaster Manufacture (Level 4) with an optional strand in Specialist Models and Mould Making [Ref: 3062].

The overarching level of performance for the family of unit standards is commercial competence.

Commercial competence requires a candidate to be capable of consistently performing the requirements of the unit specification:

- to current regulatory, industry and commercial standards
- within a commercially viable timeframe
- in commercial environments
- without supervision
- in different and unfamiliar contexts.

The sufficiency of evidence required to demonstrate commercial competence against this unit standard is determined within the context of the family of unit standards aligned to the *Specifications*.

The assessor must be confident that the candidate is capable of applying the skills and knowledge included in this skill specification to the level, scope and complexity required to support the achievement of related skills included in the *Specifications*.

Commercial competence can only be demonstrated, and must be assessed, in the workplace.

The assessment of commercial competence must be corroborated and confirmed by a person who has current expertise in the fibrous plaster manufacture trade and has had the opportunity to regularly observe the candidate in the workplace.

Reference

New Zealand Certificate in Fibrous Plaster Manufacture – Specifications, BCITO, December, 2015, available from www.bcito.org.nz.

Skill specification and performance level guidance

Skill specification

Demonstrate understanding of, and receive, handle and store, materials used for fibrous plaster manufacture.

Know Types and properties of gypsum casting plaster used in the manufacture of fibrous plaster products.

Types and properties of additives used in the manufacture of fibrous plaster products and their effect on plaster gauges.

Types and properties of reinforcement used in the manufacture of fibrous plaster products.

Types and properties of materials and accessories used for mould making.

Types and properties of release agents used in the manufacture of fibrous plaster products.

How to handle and store materials used in fibrous plaster manufacture.

The chemical properties of the raw ingredients used to manufacture fibrous plaster products and their effect on the manufacturing process and end product.

Do Receive, handle and store materials used in fibrous plaster manufacture.

Performance level guidance

Types of additives include accelerants, decelerants, extenders and silicones.

Materials for making moulds include fibreglass, timber, timber composite boards, metal sheet, rubber, cement and plaster.

Accessories used for making moulds include screws, tacks, adhesives, sealants, clay, plasticine, polyurethane and shellac.

Release agents include mutton fat and kerosene, soluble oil and water, and light detergent and water.

Types of reinforcement include fibreglass rovings, sisal fibre, and timber lath.

Planned review date	31 December 2023
----------------------------	------------------

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	30 August 2018	N/A

Consent and Moderation Requirements (CMR) reference	0048
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

Comments on this unit standard

Please contact the Building and Construction Industry Training Organisation national.office@bcito.org.nz if you wish to suggest changes to the content of this unit standard.