

<b>Title</b>	<b>Prepare wooden furniture surfaces and apply grain filler</b>		
<b>Level</b>	<b>2</b>	<b>Credits</b>	<b>3</b>

<b>Purpose</b>	People credited with this unit standard are able to prepare to grain fill wooden furniture surfaces, and prepare wooden furniture surfaces and apply grain filler.
----------------	--

<b>Classification</b>	Furniture > Furniture Finishing
-----------------------	---------------------------------

<b>Available grade</b>	Achieved
------------------------	----------

---

## Guidance Information

- 1 Assessment information  
This unit standard may be assessed against on-job or off-job.  
All activities and performance criteria must be carried out in accordance with worksite policies and procedures.
- 2 Definitions  
*Manufacturer's instructions* are instructions provided by manufacturers of substances, equipment, and machinery used in furniture making. These instructions may include details on safe and correct handling, use and storage of substances and/or details on substance properties. Examples are labels on substance containers, product data sheets, and operator's manuals.  
*Worksite policies and procedures* refer to documented policies and to documented or other directions provided to staff. These may include, but are not limited to, ways of managing health and safety, environmental considerations, quality, and production, and must conform to legislation. Examples include standard operating procedures, company health and safety plans, on-site briefings, and supervisor's instructions. For the purposes of this unit standard worksite policies and procedures may also refer to the policies and procedures of an off-job training site.

---

## Outcomes and performance criteria

### Outcome 1

Prepare to grain fill wooden furniture surfaces.

### Performance criteria

- 1.1 Job specifications are obtained and interpreted.

Range surface to be filled, timeframe to complete.

1.2 Tools and equipment for the job are identified and selected in accordance with job specifications.

Range abrasives, iron, cabinet scraper, filling cloths.

1.3 Grain filler is selected in accordance with job specifications.

## Outcome 2

Prepare wooden furniture surfaces and apply grain filler.

### Performance criteria

2.1 Surfaces are cleaned, sanded, and scraped where necessary in accordance with job specifications.

2.2 Grain filler is applied in a rotating motion in accordance with job specifications and manufacturer's instructions.

2.3 Open grain is completely filled until grain filler sits slightly proud of the surface.

2.4 Excess grain filler is wiped off after grain filler dulls off in accordance with manufacturer's instructions.

2.5 Filling cloths are stored after use.

Range one of – hung up to dry, placed in sealed container full of water.

2.6 Work area is left clean, clear, and safe, and equipment is stored safely and securely.

<b>Planned review date</b>	31 December 2024
----------------------------	------------------

### Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	30 November 1994	31 December 2023
Review	2	7 May 1997	31 December 2023
Review	3	22 September 2000	31 December 2023
Review	4	19 June 2009	N/A
Review	5	26 November 2020	N/A

<b>Consent and Moderation Requirements (CMR) reference</b>	0173
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

---

**Comments on this unit standard**

Please contact Competenz [qualifications@competenz.org.nz](mailto:qualifications@competenz.org.nz) if you wish to suggest changes to the content of this unit standard.