

Title	Cut, fit, and fix interior linings and trim under supervision		
Level	3	Credits	9

Purpose	People credited with this standard can, under supervision: <ul style="list-style-type: none"> • cut, fit, and fix interior linings and trim; and, • clean and store tools, plant and equipment used to install interior linings and trim.
----------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Classification	Construction Trades > Carpentry
-----------------------	---------------------------------

Available grade	Achieved
------------------------	----------

Guidance Information

1 Scope of practice
 Working *under supervision* means the ability to work to construction workplace standards under the supervision of a commercially competent practitioner whose role is to ensure the completed construction meets industry and regulatory requirements. This standard does not recognise commercial competence.

2 Assessment
 This unit standard must be assessed under the supervision of a commercially competent practitioner in construction workplace conditions that reflect:

- current health, safety, industry, and workplace requirements; and
- industry requirements for commercially acceptable timeframes.

Evidence generated for assessment against this standard must be verified by a person who has current expertise in the building and construction trades and has had the opportunity to regularly observe the candidate in the workplace.

3 Range
 Evidence generated for assessment against this standard must meet workplace and industry requirements specified in:

- documented worksite specifications, procedures, and practices;
- manufacturer recommendations, specifications, and technical data sheets;
- applicable specifications from other sources such as an architect, designer, engineer, or supervisor;
- applicable material safety data sheets;
- NZS 3604:2011 *Timber Framed Buildings*;
- the New Zealand Building Code;
- consents, working drawings, plans and specifications, reports, producer statements, relevant industry standards, other documentation critical to the construction process.

Evidence generated for assessment against this standard must reflect the requirements of:

- Building Act 2004;
- Health and Safety at Work Act 2015;
- Resource Management Act 1991;
- Building Regulations 1992;
- Building (Forms) Regulations 2004;
- Health and Safety in Employment Regulations 1995.

4 Reference

NZS 3604:2011 *Timber Framed Buildings*. Available from Standards NZ (<http://www.standards.co.nz>).

Outcomes and performance criteria

Outcome 1

Cut, fit, and fix interior linings and trim under supervision.

Range interior linings include two of – pre-finished board, plywood, medium-density fibre board, fibre cement;
plasterboard linings include two of – standard, water resistant, fire resistant, impact resistant, bracing, sound control;
interior trim includes two of – architrave, cornice, skirting, corner and joint mouldings, dado, scotia.

Performance criteria

1.1 Undertake pre-installation verification checks.

Range wall and ceiling framing members fixed; insulation installed according to specification and site documentation; pipes, wires, and other in-built services and fixtures installed in the wall cavities; required systems tests completed; confirmation of Building Consent Authority pre-line inspection.

1.2 Receive and store materials.

Range materials include – interior linings, interior trim, plasterboard linings;
consignment details checked, stored without damage.

1.3 Cut, fit, and fix interior linings for a construction job.

1.4 Cut, fit, and fix plasterboard linings for a construction job.

1.5 Cut, fit, and fix interior trim for a construction job.

Outcome 2

Clean and store tools, plant, and equipment used to install interior linings and trim.

Range plant includes – any machinery, vehicle, vessel, aircraft, equipment (including personal protective equipment), appliance, container, implement, or tool; any component of any of those things; anything fitted or connected to any of those things;
 personal protective equipment includes – anything used or worn by a person (including clothing) to minimise risks to the person's health and safety;
 air-supplied respiratory equipment.

Performance criteria

2.1 Clean workplace, tools, and plant used to install interior linings and trim.

2.2 Store tools and plant used to install interior linings and trim.

Replacement information	This unit standard replaced unit standard 13058.
--------------------------------	--------------------------------------------------

This unit standard is expiring. Assessment against the standard must take place by the last date for assessment set out below.

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	30 September 2021	31 December 2028
Review	2	28 August 2025	31 December 2028

Consent and Moderation Requirements (CMR) reference	0048
------------------------------------------------------------	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.