

Title	Assess condition of products supplied for resilient floor covering installation		
Level	4	Credits	10

Purpose	<p>This unit standard is intended for those working in the flooring installation industry.</p> <p>People credited with this standard are able to assess condition of products supplied for resilient floor covering installation to the level of performance required of a commercially competent tradesperson.</p>
----------------	---

Classification	Construction Trades > Flooring
-----------------------	--------------------------------

Available grade	Achieved
------------------------	----------

Guidance Information

1 Assessment

This unit standard is intended to align with the *New Zealand Certificate in Flooring Installation – Specifications* and the *New Zealand Certificate in Flooring Installation (Level 4)* [Ref: 4296].

Evidence for this standard must reflect commercial competence.

Commercial competence refers to the ability to demonstrate knowledge and skills in the context of the currently accepted requirements of a business operating in a commercial environment.

Commercial competence must be confirmed by a person with current expertise in the flooring installation trade.

2 Definitions

Commercial resilient refers to both heterogeneous and homogeneous resilient floor coverings suitable for business, hospitality, institution, health care type area, and includes installation of wet areas; wet areas include level access and assisted showers.

Consumables are items necessary to secure and finish edges, junctions, joins, changes in planes and height variations.

LVT are luxury vinyl tiles.

Residential resilient refers to light to medium heterogeneous floor coverings suitable for residential dwellings.

VCT are vinyl composite tiles.

Workplace procedures refers to the documented procedures specific to a workplace which sets out the standard and the required practices of that workplace.

- 3 Legislation, standards and guidance information relevant to this standard includes the following, and any subsequent amendments and replacements:

New Zealand Certificate in Flooring Installation – Specifications, BCITO, September 2020, available from www.waihanga.nz.

Legislation accessed at www.legislation.govt.nz

- Building Act 2004
- Construction Contracts Act 2002
- Fair Trading Act 1986
- Hazardous Substances and New Organisms Act 1996
- Health and Safety at Work Act 2015
- The New Zealand Building Code.

Standards accessed at www.standards.govt.nz

- NZS 3604:2011 *Timber Framed Buildings*
- NZS AS 1884:2013 *Floor coverings – Resilient sheet and tiles – Installation practices*.

Best practice and good practice guidelines

- FloorNZ. (2019). *Resilient Floor Coverings Planning and Installation*. Available from: www.floornz.org.nz
- *The Absolutely Essential Health and Safety Toolkit for Small Construction Sites*, and other Worksafe NZ publications available from www.worksafe.govt.nz.

Skill specification and performance level guidance

Skill specification

Assess condition of products supplied for resilient floor covering installation.

Knowledge

The types, purposes, and properties of resilient sheet, plank and tile flooring products.

Range vinyl, linoleum, cork, rubber;
safety, residential resilient, commercial resilient;
tiles include –VCT and LVT.

The types and purposes of consumables used for resilient flooring installation.

The types, purposes, and properties of adhesives used for resilient flooring installation.

The purpose of, and methods to create coving for resilient flooring installation.

The visual signs of manufacturing flaws and transportation damage in resilient and flooring products.

The methods for making minor repairs to damaged resilient flooring without compromising the quality of the resilient installation.

Skills

Check condition of supplied products for resilient installation prior to installation.

Take appropriate action prior to installation when supplied resilient product is flawed or damaged.

Performance level guidance

Performance must reflect industry best practice guidance, manufacturers' specifications and workplace procedures.

Performance must include recognising the compatibility of the products used for the resilient floor covering installation.

Replacement information	This unit standard replaced unit standard 17023.
--------------------------------	--

This unit standard is expiring. Assessment against the standard must take place by the last date for assessment set out below.

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	29 November 2021	31 December 2027
Review	2	28 November 2024	31 December 2027

Consent and Moderation Requirements (CMR) reference	0048
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.