Title	Design signs to meet sign type requirements		
Level	4	Credits	20

Purpose	This unit standard is for people working in the signmaking industry.
	People credited with this unit standard are able to design signs to meet sign type requirements.

Classification	Sign Making > Sign Making - Core
----------------	----------------------------------

Available grade	Achieved
-----------------	----------

Guidance Information

1 Legislation, regulations and/or industry standards relevant to this unit standard include but are not limited to the: Health and Safety at Work Act 2015.

Any new, amended or replacement Acts, regulations, standards, codes of practice, guidelines, or authority requirements or conditions affecting this unit standard will take precedence for assessment purposes, pending review of this unit standard.

2 Definitions

Aesthetic – refers to the visual style and combined quality of elements such as composition, form and use of colour in a sign or object.

Service information – refers to the recommended use and maintenance of machinery, tools and equipment by the manufacturer or supplier.

Workplace procedures – refer to organisation policies and procedures that are documented in memo, electronic, or manual format and available in the workplace, and are consistent with manufacturer's requirements. They may include but are not limited to – standard operating procedures, site specific procedures, site safety procedures, equipment operating procedures, quality assurance procedures, product quality specifications, references, approved codes of practice, housekeeping standards, environmental considerations, on-site briefings, supervisor's instructions, and procedures to comply with legislative and local body requirements relevant to the signmaking sector.

NZQA unit standard 33064 version 1
Page 2 of 3

3 Range

Evidence must include a minimum of five sign designs including:

- safety or informational text based panel sign containing a minimum of 50 words,
- poster or banner advertising a retail or event promotion,
- footpath sign advertising a retail shop,
- mural or wall graphic containing photographic elements combined with vector logos and/or text,
- vehicle design including computer-cut and digitally printed elements.
- 4 It is recommended that people hold credit for Unit 33062, *Demonstrate knowledge of sign design*, before being assessed against this unit standard.
- Assessment information
 Evidence presented for assessment against this unit standard must be consistent
 with safe working practices and be in accordance with applicable service information,
 workplace procedures and legislative requirements.

Outcomes and performance criteria

Outcome 1

Design signs to meet sign type requirements.

Range sign type requirements – emotive, aesthetic, clarity, design brief.

Performance criteria

1.1 Select and use design elements to meet aesthetic and/or functional requirements of the sign type.

Range design elements include but are not limited to – lay out,

typography, use of colour;

1.2 Design signs to meet intended purpose and job requirements.

Replacement Information	This unit standard and unit standard 33062 replaced unit standard 30158.
-------------------------	--

Planned review date	31 December 2027

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	29 September 2022	N/A

NZQA unit standard 33064 version 1
Page 3 of 3

Consent and Moderation Requirements (CMR) reference	0013
---	------

This CMR can be accessed at http://www.nzqa.govt.nz/framework/search/index.do.

Comments on this unit standard

Please contact the Hanga-Aro-Rau Manufacturing, Engineering and Logistics Workforce Development Council qualifications@hangaarorau.nz if you wish to suggest changes to the content of this unit standard.