Title	Repair or overhaul aircraft gas turbine engine power augmentation or restoration system components		
Level	4	Credits	4

Purpose	People credited with this unit standard are able to: prepare to repair or overhaul aircraft gas turbine engine power augmentation or restoration system components; locate defects in aircraft gas turbine engine power augmentation or restoration system components; repair or overhaul aircraft gas turbine engine power augmentation or restoration system components; test and adjust aircraft gas turbine engine power augmentation or restoration system components; and complete the repair or overhaul task for aircraft gas turbine engine power augmentation or restoration system components.
---------	---

Classification	Aeronautical Engineering > Aircraft Powerplant Repair and Overhaul
----------------	--

Available grade	Achieved
-----------------	----------

Guidance Information

- 1 All tasks must be carried out in accordance with enterprise procedures.
- 2 Definition
 - Enterprise procedures procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.
- 3 Repair or overhaul activities are those usually carried out in a specialist bay or workshop.

Outcomes and performance criteria

Outcome 1

Prepare to repair or overhaul aircraft gas turbine engine power augmentation or restoration system components.

Performance criteria

1.1 Task is determined by reviewing maintenance documentation and enterprise procedures.

NZQA unit standard 3421 version 7
Page 2 of 4

- 1.2 Component identity is confirmed with documentation.
- 1.3 Work area is prepared, and resources are obtained and checked.

Range may include but is not limited to – publications, materials, tools, equipment, safety equipment, environmental conditions established.

1.4 Component is prepared for repair or overhaul.

Range may include but is not limited to – clean, inspect.

1.5 Next task is determined and documented.

Range may include but is not limited to – locate defects, repair, overhaul, test, adjust, complete the task.

Outcome 2

Locate defects in aircraft gas turbine engine power augmentation or restoration system components.

Performance criteria

- 2.1 Defects are located using troubleshooting techniques appropriate to the defect indications.
- 2.2 Defects found during troubleshooting are reported and documented.

Outcome 3

Repair or overhaul aircraft gas turbine engine power augmentation or restoration system components.

Performance criteria

3.1 Component is disassembled.

Range may include but is not limited to – clean, label, preserve.

- 3.2 Defects found during disassembly are reported and documented.
- 3.3 Rectification action is determined and documented.
- 3.4 Replacement parts are procured and verified as authentic and serviceable.

Range identify, inspect.

3.5 Defects are rectified.

Range may include but is not limited to – repair, replace, modify, adjust.

NZQA unit standard 3421 version 7
Page 3 of 4

- 3.6 Component is assembled.
- 3.7 Inspections are obtained.

Outcome 4

Test and adjust aircraft gas turbine engine power augmentation or restoration system components.

Performance criteria

- 4.1 Component is prepared for testing.
- 4.2 Component is tested and adjusted.

Range may include but is not limited to – troubleshoot, functionally test, calibrate, adjust, document adjustments and performance.

4.3 Inspections are obtained.

Outcome 5

Complete the repair or overhaul task for aircraft gas turbine engine power augmentation or restoration system components.

Performance criteria

5.1 Component is prepared for use, storage, or transit.

Range may include but is not limited to – locking, inhibiting, blanking, packing.

5.2 Resources are checked for serviceability and returned to service or storage.

Range may include but is not limited to – tools, equipment, safety equipment, publications.

5.3 Leftover parts and materials are disposed of.

Range may include but is not limited to – serviceable, unserviceable,

surplus, waste, scrap, hazardous.

- 5.4 Documentation is completed.
- 5.5 Work area is left in a state that enables the next task to begin.

Planned review date	31 December 2027
---------------------	------------------

NZQA unit standard 3421 version 7
Page 4 of 4

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment	
Registration	1	20 June 1995	31 December 2016	
Revision	2	7 August 1997	gust 1997 31 December 2016	
Revision	3	8 May 2001	31 December 2016	
Review	4	25 September 2006	31 December 2016	
Review	5	18 June 2014	31 December 2021	
Review	6	26 March 2020	N/A	
Rollover and Revision	7	30 May 2024	N/A	

Consent and Moderation Requirements (CMR) reference	0028
---	------

This CMR can be accessed at http://www.nzqa.govt.nz/framework/search/index.do.

Comments on this unit standard

Please contact Ringa Hora Services Workforce Development Council qualifications@ringahora.nz if you wish to suggest changes to the content of this unit standard.