Title	Replenish aircraft gaseous oxygen systems		
Level	4	Credits	2

Purpose	People credited with this unit standard are able to: prepare to replenish aircraft gaseous oxygen systems; replenish gaseous oxygen systems; and complete activities related to the replenishment of gaseous oxygen systems.
	repienishment of gaseous oxygen systems.

Classification	Aeronautical Engineering > Aircraft Servicing		
Available grade	Achieved		

### Guidance Information

- 1 All tasks must be carried out in accordance with enterprise procedures.
- 2 Definition

*Enterprise procedures* – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.

- 3 Evidence for performance criterion 2.3 may be gathered under simulated conditions.
- 4 The scope of the system that this standard relates to is described in the applicable chapters of ATA iSpec 2200.

# Outcomes and performance criteria

## Outcome 1

Prepare to replenish aircraft gaseous oxygen systems.

## Performance criteria

- 1.1 Task is determined by reviewing maintenance documentation and enterprise procedures.
- 1.2 Resources are obtained and checked for serviceability or status.
  - Range may include but is not limited to publications, tools, replenishment equipment and medium, safety equipment.

- 1.3 Aircraft registration and system to be replenished are matched with documentation.
- 1.4 Suitability of environmental conditions to carry out the replenishment task is checked.
  - Range may include but is not limited to precipitation, lightning, airborne debris.
- 1.5 Aircraft, system, and area are prepared for replenishment.
  - Range aircraft positioned, clearances obtained, isolation tags fitted, warning signs positioned, ground equipment and safety equipment positioned, ignition sources eliminated, equipment bonded and/or earthed, non-essential systems switched off.
- 1.6 Any defects are reported and documented.

# Outcome 2

Replenish gaseous oxygen systems.

## Performance criteria

- 2.1 Replenishment medium, container, and equipment are matched with system to be replenished.
- 2.2 System is replenished.
- 2.3 Initial action to be taken in an abnormal situation is demonstrated.
  - Range may include but is not limited to fire, leakage, contamination of equipment.

# Outcome 3

Complete activities related to the replenishment of gaseous oxygen systems.

# Performance criteria

- 3.1 Completion activities specific to the task and work area are carried out.
  - Range may include but are not limited to tool control, cleanliness, tidiness, return of publications, preparation for next activity.
- 3.2 Resources are checked for serviceability and returned to service or storage.
  - Range may include but is not limited to tools, equipment, safety equipment.

- 3.3 Leftover materials are disposed of.
  - Range may include but is not limited to serviceable, unserviceable, surplus, waste, scrap, hazardous.
- 3.4 Documentation is completed.

#### Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	19 June 1995	31 December 2016
Revision	2	7 August 1997	31 December 2016
Revision	3	8 May 2001	31 December 2016
Review	4	20 June 2006	31 December 2016
Review	5	18 June 2014	31 December 2021
Review	6	26 March 2020	N/A
Rollover and Revision	7	26 April 2024	N/A

Consent and Moderation Requirements (CMR) reference0028This CMR can be accessed at <a href="http://www.nzga.govt.nz/framework/search/index.do">http://www.nzga.govt.nz/framework/search/index.do</a>.

## Comments on this unit standard

Please contact Ringa Hora Services Workforce Development Council <u>qualifications@ringahora.nz</u> if you wish to suggest changes to the content of this unit standard.