Title	Replenish aircraft gaseous oxygen systems		
Level	4	Credits	2

Purpose	People completing this unit standard will be able to: prepare to replenish aircraft gaseous oxygen systems; replenish gaseous oxygen systems; and complete activities related to the replenishment of gaseous oxygen systems.
---------	---

Classification	Aeronautical Engineering > Aircraft Servicing
----------------	---

Available grade	Achieved
-----------------	----------

Guidance Information

1 All tasks must be carried out in accordance with enterprise procedures.

2 Definition

Enterprise procedures – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.

- 3 Evidence for performance criterion 2.3 may be gathered under simulated conditions.
- The scope of the system that this standard relates to is described in the applicable chapters of ATA iSpec 2200.

Outcomes and performance criteria

Outcome 1

Prepare to replenish aircraft gaseous oxygen systems.

Performance criteria

- 1.1 Task is determined by reviewing maintenance documentation and enterprise procedures.
- 1.2 Resources are obtained and checked for serviceability or status.

Range may include but is not limited to – publications, tools, replenishment equipment and medium, safety equipment.

1.3 Aircraft registration and system to be replenished are matched with documentation.

1.4 Suitability of environmental conditions to carry out the replenishment task is checked.

Range may include but is not limited to – precipitation, lightning, airborne

debris.

1.5 Aircraft, system, and area are prepared for replenishment.

Range aircraft positioned, clearances obtained, isolation tags fitted,

warning signs positioned, ground equipment and safety equipment positioned, ignition sources eliminated, equipment bonded and/or

earthed, non-essential systems switched off.

1.6 Any defects are reported and documented.

Outcome 2

Replenish gaseous oxygen systems.

Performance criteria

- 2.1 Replenishment medium, container, and equipment are matched with system to be replenished.
- 2.2 System is replenished.
- 2.3 Initial action to be taken in an abnormal situation is demonstrated.

Range may include but is not limited to – fire, leakage, contamination of

equipment.

Outcome 3

Complete activities related to the replenishment of gaseous oxygen systems.

Performance criteria

3.1 Completion activities specific to the task and work area are carried out.

Range may include but are not limited to – tool control, cleanliness, tidiness, return of publications, preparation for next activity.

3.2 Resources are checked for serviceability and returned to service or storage.

Range may include but is not limited to – tools, equipment, safety

equipment.

NZQA unit standard 3914 version 6
Page 3 of 3

3.3 Leftover materials are disposed of.

Range may include but is not limited to – serviceable, unserviceable, surplus, waste, scrap, hazardous.

3.4 Documentation is completed.

Planned review date 31 December 2024	Planned review date	31 December 2024
--------------------------------------	---------------------	------------------

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment	
Registration	1	19 June 1995	31 December 2016	
Revision	2	7 August 1997	31 December 2016	
Revision	3	8 May 2001	31 December 2016	
Review	4	20 June 2006	31 December 2016	
Review	5	18 June 2014	31 December 2021	
Review	6	26 March 2020	N/A	

Consent and Moderation Requirements (CMR) reference	0028
---	------

This CMR can be accessed at http://www.nzqa.govt.nz/framework/search/index.do.

Comments on this unit standard

Please contact ServiceIQ <u>qualifications@serviceiq.org.nz</u> if you wish to suggest changes to the content of this unit standard.