Title	Maintain aircraft hydraulic	: systems	
Level	4	Credits	20

Purpose	People credited with this unit standard are able to: prepare to maintain aircraft hydraulic systems; locate defects in hydraulic systems; restore airworthiness of hydraulic systems; and complete finishing activities related to maintaining hydraulic systems.
---------	---

Classification	Aeronautical Engineering > Aircraft Mechanical Maintenance	
Available grade	Achieved	

## **Guidance Information**

- 1 All tasks must be carried out in accordance with enterprise procedures.
- 2 Definition

*Enterprise procedures* – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.

- 3 Aircraft hydraulic systems are from the reservoir to actuators.
- 4 The maintenance activities referred to in this unit standard are those normally carried out on an aircraft in a hangar.
- 5 The scope of the system that this standard relates to is described in ATA iSpec 2200, chapter 29.

# Outcomes and performance criteria

#### Outcome 1

Prepare to maintain aircraft hydraulic systems.

## Performance criteria

1.1 Task is determined by reviewing maintenance documentation.

- 1.2 Resources are obtained and checked for serviceability or status.
  - Range may include but is not limited to publications, tools, equipment, safety equipment, materials.
- 1.3 Aircraft registration and system to be maintained are matched with documentation.
- 1.4 Aircraft and system are prepared for the application of power and for system operation.

Range may include but is not limited to – depressurise systems, cockpit controls match component positions, clearances obtained, isolation tags, warning signs.

1.5 Ground and/or support equipment is positioned ready for system operation.

## Outcome 2

Locate defects in hydraulic systems.

## **Performance criteria**

2.1 Serviceability is determined.

Range inspect, assess, test.

2.2 Defects are reported and documented.

#### Outcome 3

Restore airworthiness of hydraulic systems.

## **Performance criteria**

- 3.1 Methods of rectifying defects are determined.
- 3.2 Replacement parts are procured and verified as authentic and serviceable.

Range identify, inspect.

- 3.3 Defects are rectified.
  - Range may include but is not limited to repair, replace, modify, adjust, calibrate.
- 3.4 System is tested to verify serviceability.
- 3.5 Inspections are obtained.

## Outcome 4

Complete finishing activities related to maintaining hydraulic systems.

## Performance criteria

4.1	Completion activities specific to the task and work area are carried out.		
	Range	may include but is not limited to – tool control, cleanliness, tidiness, return of publications, return of system and/or aircraft to normal, preparation for next activity.	
4.2	Resources are checked for serviceability and returned to service or storage.		
	Range	tools, equipment, safety equipment.	
4.3	Leftover parts and materials are disposed of.		
	Range	may include but is not limited to – serviceable, unserviceable, surplus, waste, scrap, hazardous.	

4.4 Documentation is completed.

Planned review date	31 December 2027
---------------------	------------------

#### Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	19 June 1995	31 December 2016
Revision	2	7 August 1997	31 December 2016
Revision	3	8 May 2001	31 December 2016
Review	4	25 September 2006	31 December 2016
Review	5	17 July 2014	31 December 2021
Review	6	26 March 2020	N/A
Rollover and Revision	7	26 April 2024	N/A

Consent and Moderation Requirements (CMR) reference	0028	
This CMR can be accessed at http://www.nzqa.govt.nz/framework/search/index.do.		

## Comments on this unit standard

Please contact Ringa Hora Services Workforce Development Council <u>qualifications@ringahora.nz</u> if you wish to suggest changes to the content of this unit standard.