| Title | Repair or overhaul aircraft pneumatic power supply system components | | |
|-------|--|---------|----|
| Level | 4 | Credits | 15 |

| Purpose | People credited with this unit standard are able to: prepare to repair or overhaul aircraft pneumatic power supply system components; locate defects in aircraft pneumatic power supply system components; repair or overhaul aircraft pneumatic power supply system components; test and adjust aircraft pneumatic power supply system components; and complete the repair or overhaul of aircraft pneumatic power supply system components. |
|---------|--|
|---------|--|

| Classification | Aeronautical Engineering > Aircraft Mechanical Repair and Overhaul |
|----------------|---|
| Classification | 5 5 I |

| Available grade Achieved |
|--------------------------|
|--------------------------|

Guidance Information

- 1 All tasks must be carried out in accordance with enterprise procedures.
- 2 Definition

Enterprise procedures – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.

- 3 Repair or overhaul activities are those usually carried out in a specialist bay or workshop.
- 4 Aircraft pneumatic power supply system components may include components from the compressor to the actuators, compressors, actuators, plumbing, filters, valves, reservoirs.
- 5 The scope of the system that this standard relates to is described in ATA iSpec 2200, chapter 36.

Outcomes and performance criteria

Outcome 1

Prepare to repair or overhaul aircraft pneumatic power supply system components.

Performance criteria

- 1.1 Task is determined by reviewing maintenance documentation and enterprise procedures.
- 1.2 Component identity is confirmed with documentation.
- 1.3 Work area is prepared, and resources obtained and checked for serviceability or status.

Range may include but is not limited to – publications, materials, tools, equipment, safety equipment, environmental conditions established.

1.4 Component is prepared for repair or overhaul.

| Range | may include but is not limited to – clean, inspect. |
|-------|---|
|-------|---|

- 1.5 Next task is determined and documented.
 - Range may include but is not limited to locate defects, repair or overhaul, test, adjust, complete the task.

Outcome 2

Locate defects in aircraft pneumatic power supply system components.

Performance criteria

- 2.1 Defects are located using troubleshooting techniques appropriate to the defect indications.
- 2.2 Defects found during troubleshooting are reported and documented.

Outcome 3

Repair or overhaul aircraft pneumatic power supply system components.

Performance criteria

- 3.1 Component is disassembled.
 - Range may include but is not limited to clean, label, preserve, segregate, store.
- 3.2 Defects found during disassembly are reported and recorded.
- 3.3 Rectification action is determined and documented.
- 3.4 Replacement parts are procured and verified as authentic and serviceable.

Range identify, inspect.

3.5 Defects are rectified.

Range may include but is not limited to – repair or overhaul, replace, modify, adjust.

- 3.6 Component is assembled.
- 3.7 Inspections are obtained.

Outcome 4

Test and adjust aircraft pneumatic power supply system components.

Performance criteria

- 4.1 Component is prepared for testing.
- 4.2 Component is tested and adjusted.
 - Range may include but is not limited to troubleshoot, functionally test, calibrate, adjust, document adjustments and performance.
- 4.3 Inspections are obtained.

Outcome 5

Complete the repair or overhaul of aircraft pneumatic power supply system components.

Performance criteria

- 5.1 Component is prepared.
 - Range may include but is not limited to use, storage, transit, locking, inhibiting, blanking, packing.
- 5.2 Resources are checked for serviceability and returned to service or storage.
 - Range may include but is not limited to tools, equipment, safety equipment, publications.
- 5.3 Leftover parts and materials are disposed of.
 - Range may include but is not limited to serviceable, unserviceable, surplus, waste, scrap, hazardous.
- 5.4 Documentation is completed.
 - Range may include but is not limited to labels, work cards, release notes, logbooks, shelf-life requirement, certification.
- 5.5 Work area is left in a state that enables the next task to begin.

| · | |
|---------------------|------------------|
| Planned review date | 31 December 2027 |

Status information and last date for assessment for superseded versions

| Process | Version | Date | Last Date for Assessment |
|-----------------------|---------|-------------------|--------------------------|
| Registration | 1 | 19 June 1995 | 31 December 2016 |
| Revision | 2 | 7 August 1997 | 31 December 2016 |
| Revision | 3 | 8 May 2001 | 31 December 2016 |
| Review | 4 | 25 September 2006 | 31 December 2016 |
| Review | 5 | 18 June 2014 | 31 December 2022 |
| Review | 6 | 23 July 2020 | N/A |
| Rollover and Revision | 7 | 27 June 2024 | N/A |

| Consent and Moderation Requirements (CMR) reference | 0028 | |
|--|------|--|
| This CMR can be accessed at <u>http://www.nzqa.govt.nz/framework/search/index.do</u> . | | |

Comments on this unit standard

Please contact Ringa Hora Services Workforce Development Council <u>qualifications@ringahora.nz</u> if you wish to suggest changes to the content of this unit standard.