

Title	Maintain helicopter belt-drive systems		
Level	4	Credits	4

Purpose	People credited with this unit standard are able to: prepare to maintain the helicopter belt-drive systems; locate defects in helicopter belt-drive systems; restore airworthiness of helicopter belt-drive systems; and complete finishing activities related to maintaining helicopter belt-drive systems.
----------------	--

Classification	Aeronautical Engineering > Helicopter Maintenance
-----------------------	---

Available grade	Achieved
------------------------	----------

Guidance Information

- 1 All tasks must be carried out in accordance with enterprise procedures.
- 2 **Definition**
Enterprise procedures – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.
- 3 Maintenance activities are those usually carried out on the helicopter.
- 4 The scope of the system that this standard relates to is described in ATA iSpec 2200, chapter 63.

Outcomes and performance criteria

Outcome 1

Prepare to maintain the helicopter belt-drive systems.

Performance criteria

- 1.1 Task is determined by reviewing maintenance documentation.
- 1.2 Work area is prepared, and resources obtained and checked for serviceability or status.

Range	may include but is not limited to – publications, tools, equipment, safety equipment, materials.
-------	--

- 1.3 Helicopter registration and system to be maintained are matched with documentation.
- 1.4 Helicopter and system are prepared for the application of power and for system operation.
- Range may include but is not limited to – cockpit controls match component positions, clearances, isolation tags, warning signs.
- 1.5 Ground and/or support equipment is positioned ready for system operation.

Outcome 2

Locate defects in helicopter belt-drive systems.

Performance criteria

- 2.1 Serviceability is determined.
- Range inspect, assess, test.
- 2.2 Defects are reported and documented.

Outcome 3

Restore airworthiness of helicopter belt-drive systems.

Performance criteria

- 3.1 Methods of rectifying defects are determined.
- 3.2 Replacement parts are procured and verified as authentic and serviceable.
- Range identify, inspect.
- 3.3 Defects are rectified.
- Range may include but is not limited to – repair, replace, modify, adjust, calibrate, lubricate.
- 3.4 System is tested to verify serviceability.
- 3.5 Inspections are obtained.
- Range independent, duplicate, progressive.

Outcome 4

Complete finishing activities related to maintaining helicopter belt-drive systems.

Performance criteria

- 4.1 Completion activities specific to the task and work area are carried out.
- Range may include but is not limited to – tool control, cleanliness, tidiness, return of publications, preparation for next activity, return of helicopter and systems to normal.
- 4.2 Resources are checked for serviceability and returned to service or storage.
- Range tools, equipment, safety equipment.
- 4.3 Leftover parts and materials are disposed of.
- Range may include but is not limited to – serviceable, unserviceable, surplus, waste, scrap, hazardous.
- 4.4 Documentation is completed.

Planned review date	31 December 2024
----------------------------	------------------

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	19 June 1995	31 December 2016
Revision	2	7 August 1997	31 December 2016
Revision	3	8 May 2001	31 December 2016
Review	4	20 June 2006	31 December 2016
Review	5	18 June 2014	31 December 2021
Review	6	26 March 2020	N/A

Consent and Moderation Requirements (CMR) reference	0028
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

Comments on this unit standard

Please contact ServicelQ qualifications@serviceiq.org.nz if you wish to suggest changes to the content of this unit standard.