Title	Carry out aeronautical NDT inspections using eddy current methods		
Level	4	Credits	28

Purpose	People credited with this unit standard are able to: prepare aeronautical parts for NDT (non destructive testing) inspections using eddy current methods; inspect aeronautical parts using eddy current methods; and complete post-inspection tasks.
	eduy current methous, and complete post-inspection tasks.

Classification	Aeronautical Engineering > Aeronautical Non Destructive Testing

Available grade Achieved	
------------------------------	--

Prerequisites	Candidates must pass the following vision examinations:
	 Near vision acuity Natural or corrected near-distance acuity in at least one eye to show that the applicant is able to: read a minimum of Jaeger Number 2 or equivalent type and size letter at a distance of not less than 30.5 cm (12 inches) on a standard Jaeger test chart; or perceive an Ortho-Rater minimum of 8 (or similar test pattern).
	Colour contrast differentiation Capable of distinguishing and differentiating contrast among colours used in the method.

Guidance Information

- 1 All tasks must be carried out in accordance with enterprise procedures.
- 2 Definition

Enterprise procedures – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.

Outcomes and performance criteria

Outcome 1

Prepare aeronautical parts for NDT inspections using eddy current methods.

Performance criteria

- 1.1 Task is determined by reviewing maintenance documentation and enterprise procedures.
- 1.2 Work area is prepared, and resources are obtained and checked for serviceability status.

Range may include but is not limited to – publications, materials, tools, equipment, safety equipment, environmental conditions established.

- 1.3 Identification of aeronautical parts are matched with documentation by comparing serial and/or part numbers.
- 1.4 Aeronautical parts are prepared for inspection.

Range clean surface finish.

1.5 Eddy current equipment is set up and calibrated.

Range reference standard, probe, instrument.

Outcome 2

Inspect aeronautical parts using eddy current methods.

Performance criteria

- 2.1 Eddy current equipment is operated.
- 2.2 Aeronautical parts are inspected.
 - Range inspection equipment, standards, specifications, precision measuring equipment.

Outcome 3

Complete post-inspection tasks.

Performance criteria

3.1	Inspected aeronautical parts are prepared.		
	Range	may include but is not limited to – storage, transit, post-test clean, inhibit, blank, pack.	
3.2	Resources are checked for serviceability and returned to service or storage		
	Range	may include but is not limited to – tools, equipment, safety equipment, publications.	
3.3	Leftover materials are disposed of.		
	Range	may include but is not limited to – serviceable, unserviceable, waste, hazardous.	
3.4	Documentation is completed.		
	Range	may include but is not limited to – labels, work cards, logbooks.	
3.5	Work enviro	nment is left in a state that enables the next task to begin.	

Planned review date	31 December 2027
---------------------	------------------

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	23 April 1996	31 December 2016
Revision	2	7 August 1997	31 December 2016
Revision	3	8 May 2001	31 December 2016
Review	4	20 June 2006	31 December 2016
Review	5	24 October 2014	31 December 2021
Review	6	26 March 2020	N/A
Rollover and Revision	7	30 May 2024	N/A

Consent and Moderation Requirements (CMR) reference	0028	
This CMR can be accessed at http://www.nzga.govt.nz/framework/search/index.do.		

Comments on this unit standard

Please contact Ringa Hora Services Workforce Development Council <u>qualifications@ringahora.nz</u> if you wish to suggest changes to the content of this unit standard.