

<b>Title</b>	<b>Demonstrate knowledge of, set out and construct interior proprietary partitions to special detail on site</b>		
<b>Level</b>	<b>4</b>	<b>Credits</b>	<b>15</b>

<b>Purpose</b>	People credited with this unit standard are able to: describe methods used to install proprietary partitions to special detail on site; prepare and set out for proprietary partitions to special detail on site; and construct proprietary partitions to special detail on site.
----------------	---

<b>Classification</b>	Construction Trades > Specialist Interiors
-----------------------	--

<b>Available grade</b>	Achieved
------------------------	----------

## Guidance Information

### 1 Definitions

*On site* refers to a wide range of building and construction environments within which trade skills are applied.

*Plant* is used as in the Health and Safety in Employment Act 1992 to mean: appliances, equipment, fittings, furniture, implements, machines, machinery, tools, vehicles, plus parts, controls, and anything connected to such plant.

*Proprietary partitions*, for the purpose of this unit standard, are non-load bearing; normally, but not limited to, steel stud framing and aluminium partitioning suites.

*Site drawings* are details not covered in the working drawings that are drawn to illustrate changes to, or methods of, construction.

*Specifications* refers to documented instructions (oral, written, graphic) and may include any of the following: manufacturer's specifications, recommendations or technical data sheets; material specifications; specifications from a specialist source such as an architect, designer, engineer or a supervisor; site or work specific requirements.

*Working drawings* refers to a set of plans that details the construction specific to the project.

*Work site practice* refers to the documented procedures specific to a work site, which set out the standard and required practices of that work site.

- 2 All work practices must comply with the following: Health and Safety in Employment Act 1992; Health and Safety in Employment Regulations 1995; Resource Management Act 1991; Building Act 2004; New Zealand Building Code.

- 3 Credit for this unit standard indicates compliance with industry practice. *Industry practice* refers to the ability to demonstrate knowledge and skills that reflect the productivity, uniformity, finish quality and material economies currently accepted within industry.

- 4 Recommended pre-requisite: Unit 4346, *Demonstrate knowledge of, set out and install interior proprietary partitions on site*; or demonstrate equivalent knowledge and skills.

---

## Outcomes and performance criteria

### Outcome 1

Describe methods used to install proprietary partitions to special detail on site.

Range curved walls, bulkheads, openings, fire resistance rated, sound control, thermal insulation.

### Performance criteria

- 1.1 Methods of installation are described in accordance with manufacturer's and job specifications.

### Outcome 2

Prepare and set out for constructing proprietary partitions to special detail on site.

Range on-site environments include residential, industrial, commercial and multi-storey;  
one environment is required.

### Performance criteria

- 2.1 Type of detail is identified from working drawings.

Range one of – curved walls, bulkheads, openings;  
one of – fire resistance rated, sound control, thermal insulation.

- 2.2 On-site measurements are confirmed against working drawings.

- 2.3 Site drawings are completed to comply with manufacturer's specifications.

- 2.4 Materials are accepted and stored on site to prevent damage.

- 2.5 Setting out is done on site in accordance with working or site drawings.

### Outcome 3

Construct proprietary partitions to special detail on site.

Range on-site environments include residential, industrial, commercial and multi-storey;  
one environment is required.

## Performance criteria

- 3.1 Special details are constructed to conform to working or site drawings.
- Range one of – curved walls, bulkheads, openings;  
one of – fire resistance rated, sound control, thermal insulation.
- 3.2 Completed special details are checked as conforming to approved drawings or job specifications, and meet manufacturer’s requirements and industry practice.
- 3.3 All operations are completed, workplace and tools cleaned, and tools stored in accordance with work site practice.

**This unit standard is expiring. Assessment against the standard must take place by the last date for assessment set out below.**

### Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	18 January 1996	31 December 2024
Revision	2	13 June 1997	31 December 2024
Revision	3	5 July 1999	31 December 2024
Review	4	29 August 2000	31 December 2024
Revision	5	18 May 2005	31 December 2024
Review	6	19 May 2006	31 December 2024
Review	7	20 November 2006	31 December 2024
Review	8	26 May 2022	31 December 2024

<b>Consent and Moderation Requirements (CMR) reference</b>	0048
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.