

Identify, calculate quantities and order stopping compounds for fibre cement sheets

Level 3

Credits 6

Purpose People credited with this unit standard are able to identify the stopping compounds for exterior and interior use for fibre cement sheets; and calculate quantities of materials required and prepare an order.

Subfield Construction Trades

Domain Fibre Cement Linings

Status Registered

Status date 20 November 2006

Date version published 20 November 2006

Planned review date 31 December 2011

Entry information Open.

Accreditation Evaluation of documentation and visit by NZQA and industry.

Standard setting body (SSB) Building and Construction Industry Training Organisation

Accreditation and Moderation Action Plan (AMAP) reference 0048

This AMAP can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

Special notes

- 1 Definition
Specifications refers to documented instructions (oral, written, graphic) and may include any of the following: manufacturer's specifications, recommendations or technical data sheets; material specifications; specifications from a specialist source such as an architect, designer, engineer or a supervisor; site or work specific requirements.
- 2 Credit for this unit standard can be achieved on site through a registered assessor, or off site with an accredited training provider.

- 3 Credit for this unit standard indicates compliance with industry practice. *Industry practice* refers to the ability to demonstrate knowledge and skills that reflect the productivity, uniformity, finish quality and material economies currently accepted within industry.

Elements and performance criteria

Element 1

Identify the stopping compounds for exterior and interior use for fibre cement sheets.

Performance criteria

- 1.1 The description identifies the stopping compound(s) specified by the fibre cement sheet manufacturer for interior use.
- 1.2 The description identifies the stopping compound(s) specified by the fibre cement sheet manufacturer for exterior ceilings.

Element 2

Calculate quantities of materials required and prepare an order.

Performance criteria

- 2.1 Area to be stopped is identified from the working drawings or job specifications.
- 2.2 Quantities of materials are calculated, and an order is prepared to the nearest unit of supply.

Please note

Providers must be accredited by the Qualifications Authority, or an inter-institutional body with delegated authority for quality assurance, before they can report credits from assessment against unit standards or deliver courses of study leading to that assessment.

Industry Training Organisations must be accredited by the Qualifications Authority before they can register credits from assessment against unit standards.

Accredited providers and Industry Training Organisations assessing against unit standards must engage with the moderation system that applies to those standards.

Accreditation requirements and an outline of the moderation system that applies to this standard are outlined in the Accreditation and Moderation Action Plan (AMAP). The AMAP also includes useful information about special requirements for organisations wishing to develop education and training programmes, such as minimum qualifications for tutors and assessors, and special resource requirements.

Comments on this unit standard

Please contact the Building and Construction Industry Training Organisation national.office@bcito.org.nz if you wish to suggest changes to the content of this unit standard.