

## Finish fibre cement areas

**Level** 3

**Credits** 8

**Purpose** People credited with this unit standard are able to stop and finish fibre cement areas of walls and ceilings, and clean up after work is completed.

**Subfield** Construction Trades

**Domain** Fibre Cement Linings

**Status** Registered

**Status date** 20 April 2006

**Date version published** 20 April 2006

**Planned review date** 31 December 2011

**Entry information** Open.

**Accreditation** Evaluation of documentation and visit by NZQA and industry.

**Standard setting body (SSB)** Building and Construction Industry Training Organisation

**Accreditation and Moderation Action Plan (AMAP) reference** 0048

This AMAP can be accessed at <http://www.nzqa.govt.nz/site/framework/search.html>.

---

### Special notes

- 1 Credit for this unit standard can be achieved on site through a registered assessor, or off site with an accredited training provider.
- 2 **Definition**  
*Specifications* refers to documented instructions (oral, written, graphic) and may include any of the following: manufacturer's specifications or recommendations; material specifications; specifications from a specialist source such as an architect, designer, engineer or a supervisor; site or work specific requirements.

- 3 All work practices must comply with the following: Health and Safety in Employment Act 1992 and Health and Safety in Employment Regulations 1995; Resource Management Act 1991; Building Act 2004; AS/NZS 2908.2:2000 *Cellulose-cement products – flat sheet*, available from Standards NZ (<http://www.standards.co.nz>); *Approved Code of Practice for the Safe Erection and Use of Scaffolding* (Wellington: Occupational Safety and Health Service, Department of Labour, 1995) available at <http://www.osh.govt.nz>.

---

## Elements and performance criteria

### Element 1

Stop and finish fibre cement areas of walls and ceilings.

Range flat joints, internal 90° angle corners.

### Performance criteria

- 1.1 Type of finish required is identified from working drawings and specifications.
- 1.2 Access for wall and ceiling areas is arranged and complies with the Health and Safety in Employment Regulations.
- 1.3 Surfaces are prepared in accordance with manufacturer's recommendations.
- 1.4 Jointing reinforcing is applied in accordance with manufacturer's recommendations.
- 1.5 Joint stopping is applied in accordance with manufacturer's recommendations.
- 1.6 Surfaces are finished as specified.
- 1.7 All operations are completed without damage to the workplace, tools, or plant.

### Element 2

Clean up after work is completed.

### Performance criteria

- 2.1 Tools and plant are maintained, cleaned, and stored in accordance with site practice.
- 2.2 Waste material is disposed of and workplace is cleaned in accordance with site practice.

---

### Please note

Providers must be accredited by the Qualifications Authority, or an inter-institutional body with delegated authority for quality assurance, before they can report credits from assessment against unit standards or deliver courses of study leading to that assessment.

Industry Training Organisations must be accredited by the Qualifications Authority before they can register credits from assessment against unit standards.

Accredited providers and Industry Training Organisations assessing against unit standards must engage with the moderation system that applies to those standards.

Accreditation requirements and an outline of the moderation system that applies to this standard are outlined in the Accreditation and Moderation Action Plan (AMAP). The AMAP also includes useful information about special requirements for organisations wishing to develop education and training programmes, such as minimum qualifications for tutors and assessors, and special resource requirements.

---

### **Comments on this unit standard**

Please contact the Building and Construction Industry Training Organisation [national.office@bcito.org.nz](mailto:national.office@bcito.org.nz) if you wish to suggest changes to the content of this unit standard.